

Henry 1816

THE
PHYSICIANS' VADE MECUM;

BEING A
COMPENDIUM
OF
NOSOLOGY AND THERAPEUTICS,
FOR THE USE OF
STUDENTS.
THE FIRST EDITION.

BY
The Rev. JOSEPH TOWNSEND,
RECTOR OF PEWSEY, WILTS; AND AUTHOR OF
A TOUR THROUGH SPAIN.

LONDON:
PRINTED FOR T. COX, ST. THOMAS'S-STREET,
BOROUGH;
AND SOLD BY DILLY, POULTRY.

1794.



IN this Compendium of Nosology, I have, as far as possible, confined myself to the system and the genera of my venerable master Dr. Cullen, whose memory and justly acquired reputation will be ever dear to those, who studied in his school and were honoured with his friendship. Of all the systems, which have yet appeared, his for a practitioner is undoubtedly the best : yet in some few instances I have departed from him ; but it has been chiefly where he hesitates himself. My reasons for these variations, as requiring disquisitions ill suited to a Compendium, I must here omit.

The utility of classical distinctions is almost universally acknowledged ; yet nothing is more difficult than to make such an arrangement as

shall meet with universal approbation. It will, however, be acknowledged sufficient for every useful purpose, if we can with precision ascertain the name and nature of a disease, although we should not perfectly agree as to its proper place in a System of Nosology. Having once formed his diagnosis, the skilful practitioner will next proceed to investigate, where it is possible, the proximate cause of the disease; and where that is not to be discovered, he will pay particular attention both to the occasional and to the predisposing cause. In all these investigations the younger students will, I trust, receive some assistance from the Compendium now presented to the public; and with a moderate share of penetration will be enabled, in most cases, to determine what are the most judicious indications to effect a cure.


For the Compendium of Therapeutics I have been indebted principally to Drs. Duncan, Whytte, Cullen, Elliot, Berkenhout; and for some of the most efficacious formula, I must acknowledge my obligation to Dr. NANKIVELL, whose fame is too well established in our metropolis to need any eulogium from my pen.

Should

(v)

Should this little work meet with acceptance
among either the students in our hospitals, or
the medical practitioners in country villages, I
shall think myself well rewarded for my trouble.

LONDON, Oct. 1792.



T H E

CLASSES, Orders, Genera, and Species,
of Disease.

CLASSES

With Characteristic Symptoms.

- Class.
- | | |
|----------------|---|
| I. PYREXIÆ. | { After cold shivering, a frequency of pulse, with increase of heat, and especially among other impaired functions, a diminution of strength. |
| II. NEUROSES. | { Affections of sense and motion, disturbed;—without either idiopathic pyrexia, or topical disease. |
| III. CACHEXIÆ. | { A depraved habit of body;—without pyrexia, and independant of neurosis, as original diseases. |
| IV. LOCALES. | { Morbid affections, which are partial. |

Orders

Distinguished by their Symptoms.

CLASS I. PYREXIÆ.

Orders.

- | | | |
|--------------------------|---|---|
| I. <i>Febres.</i> - - | { | Pyrexia, without primary local affection. |
| II. <i>Phlegmasiæ.</i> | { | Pyrexia, with topical pain and inflammation. The blood after venesection exhibits the buff coat. |
| III. <i>Exanthemata.</i> | { | Contagious diseases, beginning with fever, and followed by an eruption on the skin. |
| IV. <i>Hæmorrhagiæ.</i> | { | Pyrexia, with a discharge of blood, without any external injury, the blood on venesection exhibiting the buff coat. |
| V. <i>Profluvia.</i> - | { | Pyrexia, with increased excretions. |

CLASS II. NEUROSES.

- | | | |
|------------------------|---|---|
| I. <i>Comata.</i> - - | { | A diminution of the powers of voluntary motion, with sleep, or the senses impaired. |
| II. <i>Adynamia.</i> - | { | A diminution of the involuntary motions, of either vital or natural functions. |
| | | III. <i>Spasmi.</i> |

Orders.

- III. *Spasmi*. - { A morbid contraction, or
motion of muscular fibres.
- IV. *Vesaniæ*. - - { The judgment impaired,
without either coma, or
pyrexia.

CLASS III. CACHEXIÆ.

- I. *Marcores*. - - Universal emaciation.
- II. *Intumescentiæ*. General swellings.
- III. *Impetigines*. - { Cachexia, deforming the
external parts of the body,
with tumours, eruptions;
&c.

CLASS IV. LOCALES.

- I. *Dysæsthesiæ*. { The senses injured, or de-
stroyed, by the imperfec-
tion of the organs
- II. *Dysorexia*. { The appetite deficient, or
depraved.
- III. *Dyscinesiæ*. { Motion impeded, or de-
praved, from an imper-
fection of the organ.
- IV. *Apocenoscs*. { A superabundant flux of
blood, or humours, with-
out pyrexia.
- V. *Epischeses*. { A suppression of excre-
tions.
- VI. *Tumores*. - { Partial swellings, without
inflammation.
- VII. *Ectopia*. - - Parts displaced.
- VIII. *Dialyses*. - - A solution of continuity.

Genera

Genera

And their Symptoms.

CLASS I. PYREXIÆ. Order I. Febres.

Genera.

1. *Intermittens.* { Cold, hot, and sweating
stages, in succession, at-
tend each paroxysm, and
are followed by an inter-
mission, or remission.

Species.

1. *quotidiana.*
2. *tertiana.*
3. *quartana.*

2. *Continua.* { No intermission, yet subject
to exacerbations twice in one
day.

1. *Synocha.*

Genera.**Species.**

1. *Synocha*. Heat increased; pulse frequent, strong, hard; urine high coloured; senses not much impaired.
2. *Typhus*. Contagious. Heat moderate; pulse quick, weak, small; senses much impaired; prostration of strength.

Varieties.

1. *petechialis*.
2. *mitior*.
3. *gravior*.
4. *icterodes*.

3. *Hætica*. -

{ Exacerbations at noon, but chiefly in the evening, with slight remissions in the morning, after nocturnal sweats; the urine depositing a furfuraceo-lateritious sediment; appetite good; thirst moderate.

This fever is symptomatic of

1. Chlorosis.
2. Schrophula.
3. Nephralgia, &c. v. genus 31.

CLASS.

CLASS I. PYREXIÆ. Order II. Phlegmasiæ.

Genera.

4. *Phlogosis*. { Redness; heat; pain; and
tumour on the surface of the
body.

Species.

1. *Phlegmone*. Inflammation of a bright red colour; tumour pointed, throbbing, and tending to suppuration.
2. *Erythema*. Inflammation of a dull red colour, vanishing upon pressure, spreading unequally, with a burning pain, and tumour scarcely perceptible, ending in disquamation, or vesicles of the skin.

The phlogosis often terminates in

1. *Impostume*.
2. *Gangrene*.
3. *Sphacelus*.

5. *Ophthalmia*. { Redness and pain of the eye;
intolerance of light; with ef-
fusion of tears.

Species.

1. *Ophthalmia Membranarum*. Inflammation in the coats of the eye, most commonly in the tunica conjunctiva.
2. *Ophthalmia*.

Genera.

2. *Ophthalmia Tarfi*. Small ulcers in the sebaceous glands of the tarsus discharging a glutinous matter.

6. *Phrenitis*. { Strong fever; violent head-
ach; redness of face and eyes;
impatience of light, and noise;
watchfulness; and furious delirium.

Symptomatic.

1. exanthematica.
2. verminosa.
3. aphrodisiaca.
4. hydrophobica.
5. traumatica.
6. a dolore.

7. *Cynanche*. { Pain, and redness of the fauces;
deglutition, and respiration, difficult.

Species.

1. *tonsillaris*, affecting the mucous membrane of the fauces, but more especially the tonsils.
2. *maligna*, deglutition less difficult; a mucous crust of a whitish or ash-colour covers the tonsils and mucous membrane of the fauces, which are affected with spreading ulcers. These symptoms are accompanied with typhus, and followed by exanthemata.

3. *trachealis*.

Genera.

3. *trachealis*. Respiration difficult ;
cough loud ; no apparent tumour
in the fauces.

4. *pharyngæa*.

5. *parotidæa*.

Symptomatic.

1. *exanthematica*.

2. *arthritica*.

3. *hepatica*.

8. *Pneumonia*. { Pyrexia ; difficult respiration ;
 { cough ; and pain in the tho-
 { rax.

Species.

1. *Peripneumonia*. The pulse not
always hard, but sometimes soft ;
an obtuse pain in the breast ;
the respiration always difficult ;
sometimes the patient cannot
breathe unless in an upright pos-
ture ; the face swelled, and of
a livid colour ; the cough for
the most part moist, frequently
bloody.

2. *Pleuritis*. The pulse hard ; a
pungent pain in one side, aggra-
vated during the time of inspira-
tion ; an uneasiness when lying
on one side ; a most painful
cough, dry in the beginning of

Genera.

the disease, afterwards moist, and frequently bloody.

These, if not resolved, are followed by

Vomica. Hectic; difficult respiration; cough; pain when lying on the sound side.

Empyema. The above symptoms, with remission of pain, and signs of hydrothorax.

9. *Carditis.* - { Pyrexia; pain in the region of the heart; anxiety; difficult breathing; cough; irregular pulse; palpitation; fainting.

10. *Peritonitis.* { Pyrexia; pain in the abdomen, increased when erect.

11. *Gastritis.* { Pyrexia; anxiety; heat and pain in the epigastrium, increased when any thing is taken into the stomach; vomiting; hiccup; pulse small and hard; prostration of strength.

Species.

1. *phlegmonodea.*

2. *erysipelatoſa*, with milder symptoms.

12. *Enteritis.* { Pyrexia; fixed pain in the abdomen; costiveness; vomiting.

13. *Hepatitis.*

Genera.

13. *Hepatitis.* { Pyrexia; tension and pain,
more or less acute, in the
right hypochondrium, usually
referred to the top of the
right shoulder, and extend-
ing to the clavicle, increased
by lying on the left side;
urine high coloured.

14. *Splenitis.* - { Pyrexia; tension, heat, tu-
mour, and pain in the left hy-
pochondrium, increased by
pressure.

15. *Nephritis.* { Pyrexia; pain in the region
of the kidneys, and shooting
along the course of the ureter;
drawing up of the testicle;
numbness of the thigh; vo-
miting; urine high coloured,
and frequently discharged;
costiveness, and colic pains.

Symptomatic.

1. calculosa.
2. arthritica.
3. purulenta.

16. *Cystitis.* - { Pyrexia; tumour and pain in
the hypogastrium; frequent
and painful discharge of urine;
tenelismus.

17. *Hysteritis.*

Genera.

17. *Hysteritis*. - { Pyrexia; heat, tension, tumour, and pain in the hypogastrium; pain in the os uteri, when touched; vomiting.
18. *Rheumatismus*. { Pyrexia; pains in the joints, increased by the action of the muscles belonging to the joint; heat on the part. The blood after venesection exhibits an inflammatory crust.

This disease terminates in

Arthrodynia, pain in the joints without pyrexia.

Species.

1. *Lumbago*, affecting chiefly the loins.
2. *Ischias*, - - - the hip joint.

19. *Odontalgia*. - Tooth-ach.

20. *Podagra*. - { Pyrexia; pain in the joints, chiefly of the great toe, and especially of the hands and feet, returning at intervals: previous to the attack, the functions of the stomach are commonly disturbed.

Species.

1. *regularis*.
2. *atonica*.
3. *retrograda*.
4. *aberrans*.

B

21. *Arthropnefsis*.

Genera.

21. *Arthropuosis.*

{ Pain of the joints, or muscles, often after contusion, deep, blunt, of long continuance; little or no tumour; no inflammation; pyrexia slight at first, at last hectic; and finally terminating in abscess.

CLASS I. PYREXIÆ. Order III. Exanthemata.

22. *Erysipelas.*

{ Synocha of two or three days continuance, with drowsiness most often, sometimes with delirium; pulse commonly full and hard; then *Erythema* in the face, with continuance of synocha; tending to either apoplexy, or to abscess.

Species.

1. *vesiculosum.*2. *phlyctænodes.*23. *Pestis.*

{ Typhus, contagious in the extreme; prostration of strength; buboes and carbuncles; petechiæ, hemorrhage, and colliquative diarrhœa.

24. *Variola.*

Genera.

24. *Variola*. { Synocha; eruption of red
pimples the third day, which
on the eighth contain pus,
and drying, fall off in crusts.

Species.

1. *discreta*.
2. *confluens*.

25. *Varicella*. { Moderate synocha; pimples
bearing some resemblance to
variola, quickly forming
pustules, which contain a
fluid matter, and after three
or four days from their
first appearance desquamate,
leaving no cicatrix.

26. *Rubeola*. { Synocha; hoarseness; dry
cough; sneezing; drowsi-
ness; about the fourth day
eruption of small red points,
discernible by the touch,
which, after three days, end
in mealy desquamation.
Blood, after venesection,
exhibits inflammatory crust.

Genera.

27. *Miliaria*.

{ Synochus; cold stage considerable; hot stage attended with anxiety and frequent sighing; sweat of a strong and peculiar smell; eruption, preceded by a sense of pricking, first on the neck and breast, of small red pimples, which in two days become white pustules, desquamate, and are succeeded by fresh pimples.

28. *Scarlatina*.

{ Contagious synocha; fourth day face swells, and a scarlet eruption appears on the skin in patches; which, after three or four days, ends in desquamation of the cuticle, or is succeeded by anasarca.

Species.

1. *simplex* without cynanche.

2. *cynanchica*.

CLASS I. PYREXIÆ. Order IV. Hæmorrhagiæ.

29. *Epistaxis*. { Bleeding at the nose, with pain, or fulness of the head.

Genera.

30. *Hæmoptysis*. { Coughing up of florid, or
frothy blood; heat or pain
in the chest; irritation in
the larynx; salty taste.

Species.

1. *plethorica*.
2. *violenta*.
3. *phthifica*.
4. *calculosa*.
5. *vicaria*.

31. *Phthisis*. - { Emaciation; debility; cough;
hectic; purulent expectora-
tion; hæmoptysis; diar-
rhœa.

Species.

1. *hæmoptoica*.
2. *exanthematica*.
3. *chlorotica*.
4. *scrophulosa*.
5. *sypilitica*.

32. *Hæmorrhœis*. { Flux of blood from the
anus; pain there, and hæ-
morrhoids; vertigo; pain
in the loins and head-ach.

Genera

33. *Menorrhagia*. { A too copious menstrual
flux.

Species.

1. *rubra*.
 2. *abortus*.
 3. *lochialis*.
 4. *vitiorum*.
 5. *alba*.
-

CLASS I. PYREXIÆ. Order V. Profluvia.

34. *Catarrhus*. { Increased excretion of mu-
cus from the membranes of
the nose, fauces, and bron-
chia, with pyrexia, and at-
tended by cough, thirst,
lassitude, and want of appe-
tite.

Species.

1. *a frigore*.
2. *a contagio*.

Symptomatic.

Genera.

Symptomatic.

1. tussis exanthematica.
2. verminosa.
3. a dentitione.
4. arthritica.

35. *Dysenteria.*

{ Contagious pyrexia; frequent griping stools; tenesmus; stools chiefly mucus, sometimes mixed with blood, the natural fæces being retained or voided in a hardened state; loss of appetite and nausea, arising from spasmodic constriction of the colon retaining hardened fæces.

CLASS II. NEUROSES. Order I. Comata.

36. *Apoplexia.*

{ Abolition, in some degree, of the powers of sense and motion, with sleep, and sometimes snoring, the respiration, and motion of the heart, remaining.

Genera.

Species.

1. *sanguinea*.2. *serosa*.

3. *hydrocephalica*. In early youth, lassitude, febricula, pain in the head, then a more sluggish pulse, dilated pupils, drowsiness, and apoplexia. The futures of the cranium open.

4. *atrabilaria*.5. *traumatica*.6. *venenata*.7. *mentalis*.8. *cataleptica*.9. *suffocata*.

Symptomatic.

1. *exanthematica*.2. *arthritica*.

3. *verminosa*. Carus, cataphora, coma, and lethargus, are degrees only of apoplexy.

37. *Paralysis*. { A loss of the power of voluntary motion affecting certain parts.

Species.

Genera.

Species.

1. *partialis.*
2. *hemiplegica.*
3. *paraplegica.*
4. *venenata.*

Symptomatic.

1. *exanthematica.*
2. *arthritica.*
3. *verminosa.*
4. *scrophulosa.*
5. *syphilitica.*
6. *traumatica.*

CLASS II. NEUROSES. Order II. Adynamiaë.

38. *Syncope.* -

{ The respiration, and action
of the heart, either cease, or
become much weaker than
usual, with paleness and
coldness, arising from diminished energy of the brain,
or from organic affections
of the heart.

Species.

Genera.

Species.

1. *cardiaca*, returning without a visible cause, and with violent palpitation of the heart during the intervals.
2. *occasionalis*, from a manifest cause.

39. *Dyspepsia*. { Want of appetite ; nausea ; vomiting ; flatulence ; heart-burn ; costiveness ; and pain in the stomach, with other symptoms of debility in the organ of digestion.

Symptomatic.

1. *schirrosa*.
2. *ulcerosa*.
3. *a veneno*.
4. *verminosa*.
5. *chlorotica*.
6. *gravidarum*.
7. *arthritica*.
8. *nephritica*.

40. *Hypochondriasis*.

Genera.

40. *Hypochondri-*
asis. { Dyspepsia ; languor and
want of energy ; dejection
of mind and apprehension
of evil, more especially re-
specting health without suf-
ficient cause ; with a melan-
cholic temperament.
-

CLASS II. NEUROSES. Order III. Spasmi.

In the animal functions.

41. *Tetanus.* - { Spasmodic rigidity of almost
the whole body.

Varieties are,

1. *opisthotonos*,
2. *emprosthotonos*, and
3. *Trismus*, or locked jaw.

Symptomatic.

1. syphiliticus.
2. verminosus.

42. *Convulsio.*

Genera.

42. *Convulsio*. { Alternate relaxations, with violent and involuntary contractions, of the moving fibres, without sleep.
43. *Chorea*. - { Convulsive motions of the limbs or trunk.
44. *Raphania*. { A spasmodic contraction of the joints, with convulsive motions and most violent pain: periodical.
45. *Epilepsia*. { Convulsions with sleep, and usually froth issuing from the mouth.

Species.

1. *traumatica*.
2. *a dolore*.
3. *verminosa*.
4. *a veneno*.
5. *exanthematica*.
6. *a cruditate ventriculi*.
7. *ab inanitione*.
8. *uterina*.
9. *ex onanismo*.

Genera.

In the vital functions.

46 *Palpitatio.* { A palpitation of the heart,
 { either constant, or frequently returning.

47. *Asthma.* - { Difficult respiration returning at intervals, with a sense of stricture across the breast and in the lungs; a wheezing; hard cough at first, but more free towards the close of every paroxysm, with a discharge of mucus, followed by a remission.

Species.

1. *spontaneum.*
2. *exanthematicum.*
3. *plethoricum.*

Symptomatic.

1. *arthriticum.*
2. *venereum.*

48. *Dyspnoea.*

Genera.

48. *Dyspnoea*. { Difficult respiration continual, and without sense of stricture. Cough frequent through the whole course of the disease.
49. *Pertussis*. { Convulsive, strangulating cough, with hooping, relieved by vomiting: contagious.

In the natural functions.

50. *Pyrosis*. - { Heartburn, with copious eructation, generally of a watery insipid fluid.
51. *Colica*. - { Pain in the lower belly, and twisting round the navel; vomiting; costiveness.

Species.

1. *spasmodica*.
2. *pilotonum*, ending in palsy.
3. *stercorea*.

53. *Cholera*.

Genera.

52. *Cholera.* - { A purging and vomiting of
bile; anxiety; painful grip-
ings; spasms of the abdo-
minal muscles, and those of
the thighs.

53. *Diarrhœa.* { Frequent liquid stools with
the natural excrement, but
not contagious, and seldom
attended with pyrexia.

Species.

1. *crapulosa.*
2. *biliosa.*
3. *mucosa.*
4. *cæliaca.*
5. *lienteria.*
6. *hepatirrhœa.*
7. *verminosa.*

54. *Diabetes.* { A superabundant discharge
of urine, which is limpid,
and sweetish to the taste.

Symptomatic.

1. *hystericus.*
2. *arthriticus.*

55. *Hysteria.*

Genera.

55. *Hysteria*. - { A grumbling noise in the belly ; a ball ascending to the throat, with a sense of suffocation ; stupor ; insensibility and convulsions ; involuntary laughing and crying ; sleep interrupted by sighs ; urine limpid and abundant, previous to the fit ; great sensibility and irritability of mind.

Species.

1. *chlorotica*.
2. *a menorrhagia*.
3. *a leucorrhæa*.
4. *libidinosa*.

56. *Hydrophobia*. { A dread of water, as inducing painful convulsions of the pharynx.

CLASS II. NEUROSES. Order IV. Vefaniæ.

Genera.

57. *Amentia*. { Imbecility of intellect, by which the relations of things are either not perceived, or not recollected.
58. *Melancholia*. { Erroneous judgment, but not merely respecting health, from imaginary perceptions, or recollections, influencing the conduct, and depressing the mind with ill-grounded fears; not combined with either pyrexia or comatose affections; often appearing without dyspepsia, yet attended with costiveness, chiefly in persons of rigid fibres and torpid sensibility.
59. *Infania*. - { Erroneous judgment from imaginary perceptions, or recollections, attended with agreeable emotions in persons of a sanguine temperament. Vide *Cullen's Practice*, §. 1581.

C

60. *Mania*.

Genera.

60. *Mania*. - { A conception of false relations, and an erroneous judgment, arising from imaginary perceptions or recollections, exciting the passions, and producing unreasonable actions or emotion, with a hurry of mind in pursuing a train of thought, and in running from one train of thought to another, attended with incoherent and absurd speech, called raving, and violent impatience of either contradiction, or restraint.
61. *Oncirodynia*. { Disturbed imagination during sleep.

Species.

1. *activa*. Walking in the sleep.
2. *gravans*. The incubus or nightmare.

CLASS III. CACHEXIÆ. Order I. Mar-
cores.

Genera.

62. *Tabes*. - Emaciation; weakness; hectic.

Species.

1. *purulenta*.

2. *scrophulosa*.

3. *venenata*.

63. *Atrophia*. { Emaciation; weakness, but
 { without hectic.

Species.

1. *inanitorum*.

2. *famelicorum*.

3. *cacochymica*.

4. *debilium*.

CLASS III. CACHEXIÆ. Order II. Intu-
mescentiæ.

Adipose.

64. *Polyfarcia*. Troublesome obesity.

C 2

Flatulent.

Genera.

Flatulent.

65. *Pneumatosis*. { Air collected in the cellular texture under the skin, rendering it tense, elastic, and crepitating.

Species.

1. *spontanea*.
2. *traumatica*.
3. *venenata*.
4. *hysterica*.

66. *Tympanites*. { Elastic distention of the abdomen, not readily yielding to pressure, and sounding like a drum, with costiveness, and atrophy; but no fluctuation.

Species.

1. *intestinalis*, with discharge of wind giving relief.
2. *abdominalis*, without such relief.

67. *Physometra*. { A permanent elastic swelling in the hypogastrium from flatulent distention of the womb.

Aqueous.

Genera.

Aqueous.

68. *Anasarca*. { Swelling on the surface of the body ; not elastic ; pitting by the pressure of the finger ; and rising slowly to its former fulness.

Species.

1. *serosa*.
2. *exanthematica*.
3. *a compressione*.
4. *debilium*.

69. *Hydrocephalus* { External swelling of the head, soft, not elastic.

The *internal hydrocephalus* has been described already as the third species of *Apoplexia*.

70. *Hydrorachitis* { Tumour in new-born infants on the lumbar vertebræ, soft, and small.

71. *Hydrothorax*. { Dyspnoea ; paleness of face ; adematous swellings of the feet ; scarcity of urine ; impatience of an horizontal position, with sudden starting from sleep, and palpitation ; fluctuation of water in the chest.

Genera.

72. *Ascites*. - { Swelling of the abdomen,
tense, and scarcely elastic;
with fluctuation.

Species.

1. *abdominalis*.
2. *saccatus*.

73. *Hydrometra*. { A swelling in the hypogastrium of females not pregnant; with fluctuation; no suppression of urine.

74. *Hydrocele*. { A soft tumour of the scrotum, increasing slowly, without pain, fluctuating, generally pellucid.

Of the Solids.

75. *Physconia*. { Tumour occupying chiefly one part of the abdomen, increasing slowly, and neither sonorous nor fluctuating.

Species.

1. *hepatica*.
2. *spenica*.
3. *renales*.
4. *uterina*.
5. *ab ovario*.
6. *mesenterica*.
7. *omentalis*.
8. *visceralis*.

75. *Rachitis*. { Large head; prominent forehead; protruded sternum; flattened ribs; big belly; emaciated limbs, with great debility.

CLASS

CLASS III. CACHEXIÆ. Order III. Impetigines.

Genera.

77. *Scrophula.* { Swelled lymphatic glands;
thick upper lip; obstinate
ulcers; ophthalmia tarfi;
indolent tumours on the
joints; fair complexion; ir-
ritable habit.

78. *Syphilis.* - { A disease arising from im-
pure connection, and ap-
pearing generally after a lo-
cal affection of the organs,
occasioning chancres; bu-
boes; ulcers in the mouth
and nose; clustered pimples
of a copper colour ending in
scabby ulcers chiefly situated
near the hairy scalp; blotches
on the surface of the body;
nocturnal pain in the bones;
nodes, &c.

79. *Scorbutus.* { Extreme debility; com-
plexion pale and bloated;
spongy gums; livid spots
on the skin; breath offen-
sive; œdematous swellings
in the legs; hæmorrhages;
foul ulcers; urine foetid;
stools extremely offensive.

C 4 80. *Elephantiasis.*

Genera.

80. *Elephantiasis*. { Skin thick, rough, wrinkly,
unctuous, and void of hair;
face deformed, with tubera;
voice hoarse and founding
through the nose; want of
feeling in the extremities.—
It is contagious.

81. *Lepra*. - { The skin rough and chop-
ped, with white furfura-
ceous scales and crusts, un-
der which is frequently a
moisture, with itching.

82. *Frambæsia*. { Fungi, like mulberries,
growing out of the skin in
various parts of the body,
and discharging ichor; in-
fectious. Called *Yaws*.

83. *Trichoma*. { The hair grows coarse and
twisted into inextricable
tangles. It is contagious.
Called the *Plica Polonica*.

84. *Icterus*. - { Yellowness of the skin and
eyes; fæces white; urine
of a high colour. It tinges
linen yellow.

Species.

1. *calculosus*, acute pain in the epi-
gastric region, increasing after
eating: gall stones pass by stool.

2. *spasmodicus*,

Genera.

Species.

2. *spasmodicus*, without pain, after spasmodic diseases and passions of the mind.
3. *mucosus*, without either pain, gall-stones, or spasm, and relieved by the discharge of tough phlegm by stool.
4. *hepaticus*.
5. *gravidarum*.
6. *infantum*.

85. *Chlorosis*. - { Dyspepsia; livid paleness;
great debility; palpitation;
depraved appetite, with *amenorrhæa*.

CLASS IV. LOCALES. Order I. Dy-
fæsthesiæ

86. *Caligo*. - { Sight diminished, or destroy-
ed, by the interposition of a
dark body, between the ob-
ject and the retina.

Species.

1. *lentis*.
2. *cornea*.
3. *pupillæ*.
4. *humorum*.
5. *palpebrarum*.

87. *Amaurosis*.

Genera.

87. *Amaurosis*. { Sight diminished, or destroyed, without any visible injury of the eye: the pupil mostly dilated and immoveable.

Species.

1. *compressionis*.
2. *atonica*.
3. *spasmodica*.
4. *venenata*.

- 88 *Dysopia*. - { Sight depraved, requiring one certain quantity of light, one particular distance, or one position.

Species.

1. *tenebrarum*.
2. *luminis*.
3. *diffitorum*.
4. *proximorum*.
5. *lateralis*.

89. *Pseudoblepsis*. { Sight depraved, creating objects, or representing them different from what they are.

Species.

1. *imaginaria*.
2. *mutans*.

90. *Dyscæra*.

Genera.

90. *Dyscæa*. { Hearing diminished, or destroyed.

Species.

1. *organica*, from wax in the meatus, injuries of the membrana, or inflammation and obstruction of the tuba.
2. *atonica*, without any discernible injury of the organ.

91. *Paracusis*. Hearing depraved.

Species.

1. *imperfecta*.
2. *imaginaria*.

92. *Anosmia*. { Smell diminished, or destroyed.

Species.

1. *organica*.
2. *atonica*.

93. *Ageusia*. { Taste diminished, or destroyed.

94. *Anæsthesia*. { Touch diminished, or destroyed.

CLASS IV. LOCALES. Order II. Dy-
forexiæ.

Genera.

95. *Bulimia*. Appetite voracious or canine.
Symptomatic.

1. verminosa.
2. a rachitide.
3. ab acidis.

96. *Pica*. - { Appetite depraved, or a
strong desire of unnatural
food.

Species.

1. *infantis*.
2. *chlorotica*.
3. *gravidarum*.
4. *medicatrix*.

97. *Polydipsia*. - Excessive thirst.

Symptomatic.

1. febrilis.
2. hydropica.
3. fluxuum.
4. a venenis.

98. *Satyriasis*. { Excessive and violent desire .
for coition in men.

99. *Nymphomania*.

Genera.

99. *Nymphomania*. The same in women.

100. *Nostalgia*. { Impatience when absent from
ones native home, and vehe-
ment desire to return, at-
tended with gloom and me-
lancholy, loss of appetite,
and want of sleep.

101. *Anorexia*. - Appetite impaired.

This is merely symptomatic.

102. *Anaphrodisia*. Impotence.

Species.

1. *paralytica*.

2. *gonorrhoeica*.

CLASS IV. LOCALES. Order III. Dy-
cinesia.

103. *Aphonia*. { Suppression of the voice,
without either syncope, or
coma.

104. *Mutitas*. - Dumbness.

Species.

1. *organica*.

2. *atonica*.

3. *furdorum*.

105. *Paraphonia*.

Genera.

105. *Paraphonia*. Depravation of voice.
 106. *Psellismus*. { Vitiated articulation of the
 voice.
 107. *Strabismus*. Squinting.
 108. *Contractura*. { A rigid contraction of a
 joint.

Species.

1. *ab inflammatione*.
2. *spasmus*.
3. *ob antagonistas paralyticos*.
4. *ab acrimonia irritante*.
5. *articularis*.

CLASS IV. LOCALES. Order IV. Apocnoses.

109. *Profusio*. - Loss of blood.
 110. *Ephidrosis*. { A violent and morbid sweating.
 ing.

Generally symptomatic.

111. *Epiphora*. - A flux of tears.
 112. *Ptyalismus*. A salivation.
 113. *Enuresis*. { Involuntary discharge of
 urine.

Species.

1. *atonica*.
2. *ab irritatione vel compressione vesicae*.

114. *Gonorrhœa*.

Genera.

114. *Gonorrhæa*. { A pretenatural flux from
the urethra in men.

Species.

1. *pura*, not arising from impure connection, and without disuria.
 2. *impura*, arising from the action of the venereal virus on the urethra, producing first an itching at its orifice; afterward a discharge like pus; ardor urinæ; often phymosis; paraphymosis; and swelled testicles.
 3. *laxorum*.
 4. *dormientium*.
-

CLASS IV. LOCALES. Order V. Epif-
cheses.

115. *Obstipatio*. - Costiveness.

Species.

1. *debilium*.
2. *rigidorum*.
3. *obstructorum*.

116. *Ischuria*. - Suppression of urine.

Species.

1. *renalis*.
2. *ureterica*.
3. *vesicalis*.
4. *urethralis*.

117. *Dysuria*.

Genera.

117. *Dysuria*. { Difficulty, and pain, in dis-
charging water.

Species.

1. *ardens*.
2. *spasmodica*.
3. *compressionis*.
4. *phlogistica*.
5. *calculosa*.
6. *mucosa*.

118. *Dyspermatis-
mus*. { Seminis in actu venereo
tarda, impedita, et ad gene-
rationem insufficiens emissio.

119. *Amenorrhœa*. { Menfes wholly or partially
obstructed without preg-
nancy.

CLASS IV. LOCALES. Order VI. Tu-
mores.

120. *Aneurisma*. { A soft tumour, with pulsa-
tion, on arteries.

121. *Varix*. - { A soft tumour, without
pulse, on veins.

122. *Ecchymoma*.

Genera.

122. *Ecchymoma*. { A black and blue swelling,
either from a bruise, or from
a morbid extravasation of
blood.
123. *Schirrus*. { A hard tumour of a glan-
dular part, indolent, and
not readily suppurating.
124. *Cancer*. - { A hard tumour of a glan-
dular part, painful and ob-
stinate, which terminates in
the foulest ulcer.
125. *Bubo*. - { A suppurating tumour of
conglobate glands.
126. *Sarcoma*. { A soft excrescence, not
painful.
127. *Verruca*. - A wart.
128. *Clavus*. - Corns.
129. *Lupia*. - { A cyst under the skin, move-
able, soft, indolent.
130. *Ganglion*. { A hard tumour, moveable,
on the tendon.
131. *Hydatis*. - { A cuticular cyst full of an
aqueous fluid.

D

132. *Hydarthus*.

Genera.

132. *Hydarthus*. A white swelling on the joints.

133. *Exostosis*. A hard tumour on the bone.

CLASS IV. LOCALES. Order VII. Ec-
topiæ.

134. *Hernia*. - { The displacing of a soft part,
covered by the common te-
guments. A rupture.

135. *Prolapsus*. { The protrusion of a soft
part, uncovered.

136. *Luxatio*. - The disjoining of a bone.

CLASS IV. LOCALES. Order VIII. Di-
alyfes.

137. *Vulnus*. - A wound.

138. *Ulcus*. - { An ulcer discharging pus or
ichor.

139. *Herpes*.

Genera.

139. *Herpes*. - { Tetters, or an assemblage of
little creeping ulcers, itch-
ing much, and not inclined
to heal, but terminating in
furfuraceous scales.
140. *Tinea*. - { *A scald head*. Small ulcers
at the root of the hairs,
which produce a friable
white crust.
141. *Pfora*. - { *The itch*. Small pustules
with watery heads, appear-
ing first on the wrists, and
between the fingers. Con-
tagious.
142. *Fraçtura*. - The fracture of bones.
143. *Caries*. - The exulceration of bones.

F I N I S.

E R R A T A.

- Page 9, line 2, Cahexia for Cachexia.
— 37, — 20, adematous for œdematous.
— 43, — 2, Dysecœa for Dysec. ea.
— 49, — 13, Apoconotes for Apocenoses.

а в р д е з и д и а л и у в з

Herrington
Haithwaite

A

GENERAL INDEX,

WITH AN

EXPLANATION OF THE TERMS.

A.

	Cl.	Or.	Gen.
ADYNAMIÆ, <i>A defect of Vital Powers;</i> } from α, privitive; and Δυναμις, } Power, - - - }	II	II	
AGEUSTIA, Ἀγευστία, Want of taste, -	IV	I	93
AGUE <i>V.</i> FEBRIS INTERMITTENS.			
AMAUROSIS, <i>Gutta Serena;</i> Ἀμαυρωσις, } Obscurity, - - - }	IV	I	87
_____ COMPRESSIONIS, <i>from</i> <i>a pressure of the Optic Nerve.</i>			
_____ ATONICA, <i>from Debility.</i>			
_____ SPASMODICA, <i>from</i> <i>Spasm.</i>			
_____ VENENATA, <i>from Poison.</i>			
AMENORRHŒA, <i>Suppression of the</i> } <i>Menses;</i> from α priv. Μνῆς, the } Menses; and Ρεω, to flow, - }	IV	V	119
AMENTIA, <i>Idiotism,</i> - - -	II	IV	57
ANÆSTHESIA, Ἀναισθησία, <i>Want of</i> } <i>Sensation,</i> - - - }	IV	I	94
ANAPHRODISIA, <i>Impotence;</i> from α, } priv. and ἀφροδισία, the <i>Feast of</i> } Venus, - - - }	IV	II	102

D 3

	Cl.	Or.	Gen.
ANASARCA, <i>Dropsy of the whole Body</i> ; } from <i>Ανα</i> , along; and <i>Σαῖς</i> , the } Flesh, - - - }	III	II	68
— SEROSA, <i>from a retention, or</i> <i>from an over increase, of Serum.</i>			
— EXANTHEMATICA, <i>from</i> <i>Exanthemata.</i> V. EXANTHE- MATA.			
— A COMPRESSIONE, <i>from</i> <i>an Interruption of the Circulation.</i>			
— DEBILIUM, <i>from Debility.</i>			
ANEURISMA, <i>Tumour of an Artery</i> ; from } <i>Ανευρυσμος</i> , Dilatation, - - }	IV	VI	120
ANOREXIA, <i>Want of Appetite</i> ; from <i>α</i> , } <i>neg. and Ορεξις</i> , Appetite, - - }	IV	II	101
ANOSMIA, <i>Ανοσμος</i> , Without Smell, - }	IV	I	92
— ORGANICA, <i>from a disease of</i> <i>the Schneiderian Membrane.</i>			
— ATONICA, <i>no manifest cause</i> <i>appearing.</i>			
APHONIA, <i>Loss of Voice</i> ; from <i>α</i> , priv. } and <i>φωνη</i> , the Voice, - - }	IV	III	103
APHRODISIACUS, <i>Venerreal Excess</i> ; from <i>Αφροδισιακος</i> , Venerous.			
APOCENOSES, <i>Excessive Discharges</i> , -			
APOPLEXIA, <i>Apeplexy</i> ; from <i>Απο</i> and } <i>πλησσω</i> , to strike, - - }	II	I	36
— SANGUINEA, <i>Sanguine-</i> <i>ous</i> , from excess of Blood.			
— SEROSA, <i>Serous</i> , in per- sons of a cold temperament.			
— HYDROCEPHALICA, <i>Hydrocephalic</i> ; from <i>Υδωρ</i> , Water; and <i>κεφαλη</i> , the Head.			
— ATRABILARIA, <i>from</i> <i>the suffusion of black Bile over the</i> <i>System.</i>			
— TRAUMATICA, <i>from</i> <i>external Violence</i> ; from <i>Τραυμα</i> , <i>αλος</i> , a Wound.			
— VENENATA, <i>from poison.</i>			

	Cl.	Or.	Gen.
————— SUFFOCATA, <i>from Suffocating Exhalations.</i>			
————— MENTALIS, <i>from passions of the Mind.</i>			
————— CATALEPTICA. <i>The Cataplexy; from Καταληψος, a Seizure. The patient on a sudden becomes stiff, and observes the same posture during the fit.</i>			
APPETITE, <i>Depraved.</i> V. DYSCOREXIA.			
————— <i>Want of.</i> V. ANOREXIA.			
ARTHRITICUS, <i>Arthritic; from Αρθριτις, A disease in the Joints.</i> V. PODAGRA.			
ARTHRODYNIA, <i>Chronic Rheumatism; from Αρθρον, a Joint; and Οδυνη, Pain.</i> V. RHEUMATISMUS.			
ARTHRŌPUOSIS, <i>Inflammation occasioning a Collection of Matter; from Αρθρον, a Joint; and Πύωσις, Sup- uration,</i> — — — — —	I	II	21
ASCĪTES, <i>Dropsy of the Abdomen; from Ασκος, a Sack,</i> — — — — —	III	II	72
————— ABDOMINALIS, <i>The Abdominal, an equal swelling of the whole Abdomen.</i>			
————— SACCATUS, <i>The Encysted, the fluctuation is here less evident, and the Swelling of the Abdomen at the first partial.</i>			
ASTHMA, <i>Frequent attacks of short breathing; from Απναι, to breathe,</i> — — — — —	II	III	47
————— SPONTANEUM, <i>without any manifest cause.</i>			
————— PLETHORICUM, <i>from Plethora.</i>			
————— EXANTHEMATICUM, <i>Exanthematic; from the repulsion of some humour.</i> V. EXANTHEMATA.			

	Cl.	Or.	Gen.
ATROPHIA, <i>A Slow Decay, or Atrophy;</i> } from α, priv. and Τροφή, Nutri- } tion, - - - }	III	I	63
----- INANITORUM, <i>from too</i> <i>great Evacuations.</i>			
----- FAMELICORUM, <i>from famine.</i>			
----- CACOHYMICA, <i>from cor-</i> <i>rupted Nourishment.</i>			
----- DEBILIUM, <i>from an imper-</i> <i>fection in the digestive Organ.</i>			
B.			
BUBO* ; <i>from Βύζων, a Swelling in the</i> } <i>Groin, - - - }</i>	IV	VI	125
BULIMIA, <i>Canine Appetite; from Βύς, an</i> } <i>Ox; and Δίψας, Hunger, - - }</i>	IV	II	95
BLEEDING at the Nose. V. EPIS- TAXIS.			
BLOOD, Extravasation of. V. ECCHY- MOMA.			
BLOODY FLUX. V. PROFUSIO.			
BREATHING, Difficult. V. ASTHMA, or DYSPNŒA.			
C.			
CACHEXIÆ, <i>A bad habit of body; from</i> } <i>κακός, bad; and Εξίς, a habit, - }</i>	III		
CALIGO, <i>The Cataract, - - - }</i>	IV	I	86
CANCER, <i>Cancer, a Crab, - - - }</i>	IV	VI	124
CANINE APPETITE. V. BULIMIA.			
CARDĪTIS, <i>Inflammation of the Heart; }</i> <i>from Καρδία, the Heart, - - }</i>	I	II	9
CARIES, <i>Rottenness in the Bones, - - }</i>	IV	VIII	143
CATARACT. V. CALIGO.			
CATARRHUS, <i>Catarrh; from Καταρρεῖν,</i> } <i>a Defluxion, - - - }</i>	I	V	34
----- A FRIGORA, <i>from cold.</i>			
----- A CONTAGIO, <i>from</i> <i>contagion. The Influenza.</i>			

* The vowels are placed first in this Index, then follow the consonants.

	Cl.	Or.	Gen.
CATARRH. <i>V.</i> CATARRHUS.			
CÆLIAC PASSION. <i>V.</i> DIARRHŒA.			
COLICA, <i>The Colic</i> ; from <i>Κόλον</i> , the } Colon, - - - }	II	III	51
— SPASMODICA, <i>Spasmodic</i> , arising from Spasms of the Abdo- minal Muscles.			
— PICTONUM, <i>The Painters</i> , or <i>Devonshire Colic</i> . It arises from the poison of lead.			
— STERCOREA, in <i>Persons of a</i> <i>costive Habit</i> .			
CONSUMPTION. <i>V.</i> PHTHISIS.			
CONTRACTURA, <i>Contraction of the</i> } <i>Limbs</i> , - - - }	IV	III	108
— AB INFLAMMATIONE, <i>from inflammation</i> .			
— SPASMO, <i>from spasm</i> .			
— OB ANTAGONISTAS PARALITICOS, <i>from</i> <i>the Antagonist Muscles losing their</i> <i>action</i> .			
— OB ACRIMONIA IR- RITANTE, <i>from some ir-</i> <i>ritating cau c.</i>			
— ARTICULARIS, <i>from a</i> <i>stiffness in the Joints</i> .			
CONVULSIO, <i>Convulsions</i> , - -	II	III	42
CORNS. <i>V.</i> CLAVUS.			
CORPULENCY. <i>V.</i> POLYSARCIA.			
COSTIVENESS. <i>V.</i> OBSTIPATIO.			
CHICKEN POX. <i>V.</i> VARICELLA.			
CHILBLAIN. <i>V.</i> PHLOGOSIS, ERY- THEMA.			
CHLORŌSIS, <i>The Green Sickness</i> ; from } <i>Χλωρός</i> , green, pale, - - }	III	III	85
CHOLĒRA; from <i>Χολη</i> , the Bile, - -	II	III	52
CHOLERA, <i>The Cholera Morbus</i> ; from <i>Χολη</i> , the Bile.			
CHORĒA, <i>St. Vitus's Dance</i> ; from <i>Χορεία</i> , } <i>Dancing</i> , - - - }	II	III	43

	Cl.	Or.	Gen.
CLAP. <i>V. GONORRHOEA.</i>			
CLAVUS, <i>A Corn,</i> - - -	IV	VI	128
CROUP. <i>V. CYNANCHE TRACHEALIS.</i>			
CYNANCHE; from <i>Κυν</i> , a Dog; and <i>Αγχω</i> , to suffocate, - - }	I	II	7
_____ MALIGNA. <i>The putrid sore Throat.</i>			
_____ PAROTIDÆA. <i>The Mumps.</i>			
_____ TRACHEALIS. <i>The Croup.</i>			
_____ TONSILLARIS. <i>Inflam- matory Quinsy.</i>			
CYSTITIS, <i>Inflammation of the Bladder;</i> } from <i>Κυστις</i> , the Bladder, - - }	I	II	16
D.			
DEAFNESS. <i>V. DYSECŒA.</i>			
DEFECT in Vision. <i>V. DYSOPIA.</i>			
DIABĒTES, <i>Immoderate flow of Urine;</i> } from <i>δια</i> , through; and <i>βαίω</i> , to pass, - - }	II	III	54
DIALŶSES, <i>The Destruction of Parts;</i> from } <i>διαλυω</i> , to dissolve, - - }	IV	VIII	
DIARRHŒA, <i>A constant Looseness;</i> from } <i>διαρρεω</i> , to flow through, - - }	II	III	53
_____ CRAPULOSA, <i>The Fe- culent Diarrhœa;</i> from <i>Crapulo- sus</i> , one who overloads his sto- mach.			
_____ BILIOSA, <i>The Bilious;</i> from an overflow of Bile.			
_____ MUCOSA, <i>The Mucous;</i> a quantity of slime being voided.			
_____ HEPATIRRHŒA, <i>The Hepatic;</i> a flux of serous matter somewhat resembling flesh is void- ed, the liver being primarily affected; from <i>ἥπαρ</i> , the liver; and <i>ρεω</i> , to flow.			

----- LIENTERIA. *The Lientery*; the food passes unchanged.

----- COELIACA. *The Caliac Passion.*

----- VERMINOSA, arising from *Worms.*

DIGESTION, Bad. *V.* DYSPEPSIA.

DUMBNESS. *V.* MUTITAS.

DYSÆSTHESIÆ; *Δυσαισθησία*, Loss of Sensation, - - - }

DYSECOËA, *Deafness*; from *Δύς*, difficult; and *Ακόν*, hearing, - - - }

DYSENTERIA, *Dysentery*; from *Δυσεν-ίη*, Pain in the Bowels, - - - }

DYSŌPIA, *Defect in Vision*, - - - }

----- TENEBRARUM, *Requiring objects to be placed in a strong light.*

----- LUMINIS, *Objects only discernible in a weak light.*

----- DISSITORUM, *In which distant objects are not perceived.*

----- PROXIMORUM, *In which objects too near are not perceived.*

----- LATERALIS, *In which objects are not seen, unless placed in an oblique position.*

DYSOREXIA, *A Depraved Appetite*; from *Δύς*, bad; and *Ορεξίς*, Appetite, }

DYSPERMATISMUS, *Difficult Emission of Semen*; from *Δύς*, difficult; and *Σπέρμα*, Seed, - - - }

DYSPEPSIA, *Bad Digestion*, from *Δύς*, bad; and *Πεπλῶ*, to concoct, - - - }

DYSŪRIA, *Difficulty in discharging Urine*; from *Δύς*, difficult; and *Ουρῶν*, Urine, - - - }

----- ARDENS, *A sense of heat, without any manifest disorder of the Bladder.*

----- SPASMODICA, *from Spasm.*

Cl.	Or.	Gen.
IV	I	
IV	I	90
I	V	35
IV	I	88
IV	II	
IV	V	118
II	II	39
IV	V	117

	Cl.	Or.	Gen.
————— COMPRESSIONIS, <i>from a compression of the neighbouring parts.</i>			
————— PHLOGISTICA; <i>from violent Inflammation; from φλογος, flamma.</i>			
————— CALCULOSA, <i>from stone in the Bladder.</i>			
————— MUCOSA, <i>from an abundant secretion of Mucus.</i>			
DYSCINESIÆ, <i>Difficulty of Motion; from Δυσ, bad; and κινεω, to move, -</i>	IV	III	
DYSPNŒA, <i>A constant Difficulty of Breathing; from Δυσ, difficult; and πνέω, to breathe, -</i>	II	III	48
DROPSY of the Brain, <i>Hydrocephalus Internus. V. APOPLEXIA.</i>			
————— <i>of the whole Body. V. ANASARCA.</i>			
————— <i>of the Abdomen. V. ASCITES.</i>			
————— <i>of the Womb or Ovaria. V. HYDROMETRA.</i>			
————— <i>of the Scrotum. V. HYDROCELÆ.</i>			

E.

ECTOPIÆ, <i>Parts Displaced; from Εκτοπος, out of its Situation, - -</i>	IV	VII	
ECCHYMŌMA; <i>Εκχυμαμα, an Extravasation of Blood, - -</i>	IV	VI	122
ELEPHANTIASIS, <i>Ελεφας, an Elephant, V. PNEUMATOSIS.</i>	III	III	80
ENURĒSIS, <i>An involuntary flow of Urine; from Ενεγειν, to make water, -</i>	IV	IV	113
————— ATONICA, <i>the Spincter of the Bladder having lost its tone from some previous disease.</i>			
————— <i>ab Irritatione, from an irritation or compression of the bladder.</i>			

	Cl.	Or.	Gen.
ENLARGEMENT of the Abdomen. <i>V.</i>			
PHYSCONIA. - - -			
ENTERĪTIS, <i>Inflammation of the Intestines;</i>	I	II	12
from <i>Εντέρον</i> , the Intestine, - - -			
EPIPHŌRA, <i>An involuntary flow of Tears;</i>	IV	IV	111
from <i>Επιφορά</i> , a Flood, - - -			
EPILEPSIA, <i>Epilepsy;</i> from <i>Επιλειψις</i> , a Swoon, - - -	II	III	45
TRAUMATICA, <i>from an injury of the Head.</i>			
A DOLORE, <i>from Pain.</i>			
VERMINOSA, <i>from Worms.</i>			
EXANTHEMATICA, <i>from an Eruption drove in.</i>			
A CRUDITATE VENTRICULI, <i>from crudities of the Stomach.</i>			
AB INANITIONE, <i>from Debility.</i>			
UTERINA, <i>from Hysteric Affection. V. HYSTERIA.</i>			
EPHIDRŌSIS, <i>Excessive Sweating;</i> <i>Εφιδρῶς</i> , abundant in Water, - - -	IV	IV	110
EPISCĒSES. <i>Επισχῆσις</i> , Retention, - - -	IV	V	
EPISTAXIS, <i>Bleeding at the Nose,</i> - - -	I	IV	29
ERYSIPELAS, <i>St. Anthony's Fire,</i> - - -	I	III	22
VESICULOSUM, <i>with large Blisters.</i>			
PHLYCTÆNODES, <i>with Phlyctenæ, or small Blisters; from Φλυκταίνωδης, Pustulæ Similis.</i>			
EXANTHEMATATA, <i>Eruptions;</i> from <i>Εξανθήματα</i> , a Pustule, - - -	I	III	
EXOSTŌSIS, <i>Tumour on the Bones;</i> from <i>Εξ</i> and <i>ὀστέον</i> , a Bone, - - -	IV	VI	133
F.			
FAINTING. <i>V. SYNCOPE.</i>			
FEBRIS INTERMITTENS, <i>An Intermittent Fever, or Ague,</i> - - -	I	I	I

	Cl.	Or.	Gen.
CONTINUA, <i>a continued Fever,</i>	I	I	2
HECTICA, <i>an hectic Fever, -</i>	I	I	3
FUROR UTERINUS. V. NYMPHOMANIA.			
FLUXES. V. PROFLUVIA.			
FRACTURA, <i>A Fracture, - -</i>	IV	VIII	142
FRAMBESIA, <i>The Yaws; from Framboise, Fr. a Raspberry, - -</i>	III	III	82
G.			
GANGLION, <i>A Tumour on a Tendon, -</i>	IV	VI	130
GASTRITIS, <i>An Inflammation of the Stomach; from Γαστήρ, the Stomach, -</i>	I	II	11
PHLEGMONODEA, <i>with Phlegmon; from φλεγω, to burn.</i>			
ERYSIPELATOSA, <i>from Ερυσίπελας, a red Tumour. An Erysipelatous redness is observed about the fauces.</i>			
GOUT. V. PODAGRA.			
GONORRHOEA; <i>from Γονορροια, a Flux of Seed, - -</i>	IV	IV	114
PURA, <i>not arising from impure connection.</i>			
IMPURA, <i>arising from Venereal Virus.</i>			
LAXORUM, <i>the person being awake.</i>			
DORMIENTIUM, <i>from an impure imagination when asleep.</i>			
GUTTA SERENA. V. AMAUROSIS.			
GREEN SICKNESS. V. CHLOROSIS.			
H.			
HÆMOPTYSIS, <i>Spitting of Blood; from Αἷμα, blood; and ἵπνω, to spit, -</i>	I	IV	30
PLETHORICA, <i>from πλεονεξία, fulness of the Vessels.</i>			
VIOLENTA, <i>from some external violence.</i>			

	Cl.	Or.	Gen.
PHTHISICA, <i>Consumptive</i> ; from φθίω, to waste.			
CALCULOSA, <i>from calcareous matter in the Lungs.</i>			
VICARIA, <i>from the suppression of some customary evacuation.</i> The termination of an Hæmoptysis is in Pthifis.			
HÆMORRHAGIÆ, <i>Hæmorrhages</i> ; from Αιμορραγία, an Eruption of Blood,	I	IV	
HÆMORRHOIS, <i>The Piles</i> ; from Αιμορροΐς, a Flux of Blood,	I	IV	32
HEMIPLEGIA, <i>Palsy of one Side.</i> V. PARALYSIS.			
HECTIC FEVER. V. FEBRIS HECTICA.			
HEPATĪTIS, <i>Inflammation of the Liver,</i> -	I	II	13
HERNIA, <i>A Rupture,</i> -	IV	VII	134
HERPES, <i>Tetters</i> ; from Ερπω, to creep, -	IV	VIII	139
HOOPING COUGH. V. PERTUSSIS.			
HYDARTHUS, <i>A White Swelling</i> ; from ὕδωρ, Water; and Ἀρθρον, a Joint,	IV	VI	132
HYDĀTIS, <i>An Hydatid</i> ; from ὕδατις, a Bladder,	IV	VI	131
HYDROCĒLE, <i>Dropsy of the Scrotum</i> ; from ὕδωρ, Water; and Κηλη, a Swelling,	III	II	74
HYDROCEPHALUS EXTERNUS, <i>External Swelling of the Head</i> ; from ὕδωρ, Water; and κεφαλή, the Head,	III	II	69
HYDROCEPHALUS INTERNUS, <i>Dropsy of the Brain</i> ; from ὕδωρ, Water; and κεφαλή, the Head. V. APOPLEXIA.			
HYDROMĒTRA, <i>Dropsy of the Womb and its Appendages</i> ; from ὕδωρ, Water; and Μήτρα, the Womb,	III	II	73
HYDROPHOBIA, <i>Canine Madness</i> ; from ὕδωρ, Water; and φοβέω, to dread,	II	III	56

	Cl.	Or.	Gen.
HYDRORACHITIS, <i>The Spina Bifida</i> ; } from ὕδωρ, Water; and Ραχίς, } the Back-bone, - }	III	II	70
HYDROTHORAX, <i>Dropsy of the Chest</i> ; } from ὕδωρ, Water; and Θάλαξ, } the Breast, - }	III	II	71
HYPOCHONDRIASIS, <i>Hypochondriac Af-</i> } <i>fections</i> ; from ὑποχονδριακός, one } who is hipped, - }	II	II	40
HYSTERIA, <i>Hysterics</i> ; from ὕστερα, the } Womb, - }	II	III	55
———— CHLOROTICA, <i>from a re-</i> <i>tention of the Menfes.</i> V. CHLO- ROSIS.			
———— A MENORRHAGIA, <i>from an</i> <i>immoderate flow of the Menfes.</i> V. MENORRHAGIA.			
———— A LEUCORRHEA, <i>from the</i> <i>Fluor Albus</i> ; from λευκός, white; and ῥεω, to flow. V. MENOR- RHAGIA.			
———— LIBIDINOSA, <i>from Sensual</i> <i>Desires.</i>	III	III	84
HYSTERITIS, <i>Inflammation of the Uterus,</i>	I	II	17

I.

ICTERUS, <i>The Jaundice.</i> - -			
———— CALCULOSUS, <i>from Gall</i> <i>Stones.</i>			
———— SPASMODICUS, <i>from Spasm.</i>			
———— MUCOSUS, <i>from Mucus ob-</i> <i>structing the Hepatic Duct.</i>			
———— HEPATICUS, <i>from an indura-</i> <i>tion of the Liver.</i>			
———— GRAVIDARUM, <i>from preg-</i> <i>nancy, and disappearing after de-</i> <i>livery.</i>			
———— INFANTUM, <i>of Infants.</i>			
IDIOTISM. V. AMENTIA.			

	Cl.	Or.	Gen.
IMPETIGINES, <i>Diseases which deform the</i> } <i>Surface,</i> - - - }	III	III	
INFLAMMATION of the Eye. <i>V.</i>			
OPHTHALMIA.			
----- Intestines. <i>V.</i>			
ENTERITIS.			
----- Uterus. <i>V.</i>			
HYSTERITIS.			
----- Bladder. <i>V.</i>			
CYSTITIS.			
----- Brain. <i>V.</i>			
PHRENITIS.			
----- Heart. <i>V.</i>			
CARDITIS.			
----- Kidney. <i>V.</i>			
NEPHRITIS.			
----- Liver. <i>V.</i>			
HEPATITIS.			
----- Lungs. <i>V.</i>			
PERIPNEUMONIA.			
----- Peritonæum. <i>V.</i>			
PERITONITIS.			
----- Pleura. <i>V.</i>			
PLEURITIS.			
----- Spleen. <i>V.</i>			
SPLENITIS.			
----- Stomach. <i>V.</i>			
GASTRITIS.			
INFLAMMATORY QUINSY. <i>V. CY-</i> <i>NANCHE TONSILLARIS.</i>			
INFLATION of the Uterus. <i>V. PHYSO-</i> <i>METRA.</i>			
----- Abdomen. <i>V. TYM-</i> <i>PANITES.</i>			
INSANIA, <i>Insanity, or a deranged Imagination,</i> - - - }	II	IV	59
INTERMITTENS, <i>An Intermittent Fever,</i> - - - }	I	I	I
or <i>Ague.</i> - - - }			
----- QUOTIDIANA,			
<i>Quotidian.</i> The paroxysms return in the morning, at an interval of about twenty four hours.			

	Cl.	Or.	Gen.
TERTIANA, <i>Tertian.</i> The paroxysms commonly come on at <i>mid-day</i> , at an interval of about forty eight hours.			
QUARTANA, <i>Quartan.</i> The paroxysms come on in the <i>afternoon</i> , with an interval of about seventy two hours.			
INTUMESCENTIA, <i>Swellings</i> , - - -	III	II	
ISCHURIA, from <i>ἰσχυρία</i> , a Suppression of } Urine, - - - }	IV	V	116
RENALIS, <i>Coming after a disease of the Kidney, with a troublesome sense of weight in that part.</i>			
URETERICA, <i>After a disease of the Kidneys, a sense of pain or uneasiness in some part of the Urethra.</i>			
VESICALIS, <i>A frequent desire to make water, with a swelling of the Hypogastrium; pain at the neck of the Bladder.</i>			
URETHRALIS, <i>A frequent desire to make water, with a swelling of the Hypogastrium, and pain in some part of the Urethra.</i>			
JAUNDICE. <i>V. ICTERUS.</i>			
K.			
KING'S EVIL. <i>V. SCROFULA.</i>			
L.			
LEPRA, <i>Leprosy</i> , - - -	III	III	81
LIENTERY. <i>V. DIARRHŒA.</i>			
LOCALES, <i>Local Affections.</i>			
LOCKED JAW, or TRISMUS. <i>V. TETANUS.</i>			
LONGINGS OF WOMEN. <i>V. PICA.</i>			

	Cl.	Or.	Gen.
LUES VENEREA. <i>V.</i> SYPHILIS and GONORRHŒA.			
LUMBAGO. <i>V.</i> RHEUMATISMUS.			
LUMBER ABSCESS. <i>V.</i> ARTHROPU- OSIS.			
LUPIA, <i>A soft Swelling under the Skin,</i> -	IV	VI	129
LUXATIO, <i>A Luxation,</i> - - -	IV	VII	136
M.			
MADNESS, MELANCHOLY. <i>V.</i> ME- LANCHOLIA.			
——— HAPPY. <i>V.</i> INSANIA.			
——— FURIOUS. <i>V.</i> MANIA.			
MANIA, <i>Raving, or Furious Madness,</i> -	II	IV	60
MARCORES, <i>Wasting.</i> - -	III	I	
MEASLES. <i>V.</i> RUBEOLA.			
MELANCHOLIA, <i>Melancholy Madness,</i> -	II	IV	58
MENORRHAGIA, <i>Immoderate flow of the</i> <i>Menses; from Mnv, a Month; and</i> <i>Payæ, a Rupture,</i> - - }	I	IV	33
——— RUBRA, <i>Proper;</i> <i>from women neither with child or</i> <i>in child-birth.</i>			
——— ALBA, <i>Serous; the</i> <i>Flux Albus, or Whites.</i>			
——— VITIORUM, <i>From</i> <i>some local disease.</i>			
——— ABORTUS, <i>Abortive;</i> <i>from women with child.</i>			
——— LOCHIALIS, <i>From</i> <i>women after delivery.</i>			
MENSES, <i>Immoderate flow of.</i> <i>V.</i> ME- NORRHAGIA.			
——— <i>Suppression of.</i> <i>V.</i> AMENOR- RHŒA.			
MILIARIA, <i>Miliary Fever,</i> - -	I	III	27
MOTION IMPEDED. <i>V.</i> DYSKINESIA.			
MUMPS. <i>V.</i> CYNANCHE PAROTIDŒA.			
MUTITAS, <i>Dumbness,</i> - - -	IV	III	104

	Cl.	Or.	Gen.
N.			
NEPHRITICUS, <i>Nephritic</i> ; from Νεφρι- της, a disease of the Kidney.			
NEPHRĪTIS, <i>Inflammation of the Kidney</i> ; } from Νεφρος, the Kidney, - }	I	II	15
NERVOUS FEVER. V. TYPHUS MI- TIOX.			
NEURŌSES, <i>Nervous Diseases</i> ; from Νευ- ξον, a Nerve, - - - }	II		
NIGHT-MARE. V. ONEIRODYNIA GRAVANS.			
NOSTALGIA, <i>Vehement desire of revisiting</i> <i>one's Country</i> ; from Νοστω, to re- turn; and Αλγος, pain, - - }	IV	II	100
NYMPHOMANIA, <i>Furor Uterinus</i> ; from Νυμφια, Nympha; and Μανια, Madness, - - - }	IV	II	99
O.			
OBSTIPATIO, <i>Costiveness</i> , - - -	IV	V	115
DEBILIUM, <i>In weak and</i> <i>commonly dyspeptic persons.</i>			
RIGIDORUM, <i>In persons</i> <i>of rigid fibres and a melancholy</i> <i>temperament.</i>			
OBSTRUCTORUM, <i>From</i> <i>obstructions.</i> V. COLICA.			
ODONTALGIA, <i>The Tooth-ach</i> ; from } Οδους, a Tooth; and Αλγος, Pain, }	I	II	19
ONEIRODYNIA, <i>Disturbed Sleep</i> ; from } Ονειρον, a Dream; and Οδυν, Anxiety, - - - }	II	IV	61
GRAVANS, <i>The Night-</i> <i>Mare.</i>			
OPHTHALMIA, <i>Inflammation of the Eye</i> ; } from Οφθαλμος, the Eye, - - }	I	II	5
P.			
PALPITATIO, <i>Palpitation of the Heart</i> , -	II	III	4

PALSY OF ONE SIDE, *Hemiplegia*. V.

PARALYSIS.

PARACŪSIS, *Singing in the Ears*; from }
Παρα, Wrong; and *ακρω*, to hear, }

IMPERFECTA, *When ex-*
isting sounds are not heard as usual.

IMAGINARIA, *When*
imaginary sounds are heard.

PARALYSIS, *Palsy*; from *Παραλυω*, to }
 loose, - - - }

PARTIALIS, *Partial*;
Palsy of some particular muscles.

HEMIPLEGICA, *Para-*
lysis of one side; from *ἡμιπληξ*
ηρος, *dimidia parte percussus.*

PARAPLEGICA, *Palsy*
of one half of the body; from *Pa-*
ραπληγία.

VENENATA, *From the se-*
dativæ effect of poisons. V. Co-
 LICA PICTORUM.

PARAPLEGIA, *Palsy of half of the Body* }
taken transversely. V. PARA- }
 LYSIS. - - - }

PARAPHONIA, *Alteration of the voice*;
 from *Παρα*, Wrong; and *φωνη*, }
 Sound, - - - }

PERIPNEUMONIA, *Peripneumony, or*
Inflammation of the Lungs. V.
 PNEUMONIA.

PERITONĪTIS, *Inflammation of the Peri-* }
tonæum, - - - }

PERTUSSIS, *The Hooping Cough,* - -

PESTIS, *The Plague,* - - -

PICA, *Particular Longings,* - - -

PILES. V. HÆMORRHOIS.

PODAGRA, *The Gout*; from *Πυς*, the Foot; }
 and *Αγρα*, taken, - - - }

REGULARIS, *The Regular.*

ATONICA, *Atonic*; from
Ατονος, a neg. and *Τενω*, to stretch.

Cl.	Or.	Gen.
IV	I	91
II	I	37
IV	III	105
I	II	101
II	III	49
I	III	23
IV	II	96
I	II	20

	Cl.	Or.	Gen.
RETROGRADA, <i>Retrace-</i> <i>dent.</i>			
ABERRANS, <i>Misplaced, or</i> <i>wandering.</i>			
POLYDIPSIA, <i>Excessive Thirst</i> ; from Πολυ- } λυς, much; and Διψη, Thirst, - }	IV	II	97
POLYPUS. <i>V. SARCOMA.</i>			
POLYSARCHIA, <i>Corpulency</i> ; from Πολυς, } much; and Σαξξ, Flesh, - - }	III	II	64
PUTRID FEVER. <i>V. TYPHUS GRA-</i> <i>VIOR.</i>			
PUTRID SORE THROAT. <i>V. Cy-</i> <i>NANCHE MALIGNA.</i>			
PHLOGŌSIS, <i>Inflammation</i> ; from φλογξ, } γος, Flamma, - - }	I	II	4
PHLEGMONE, <i>with Phleg-</i> <i>mon</i> ; from φλεγμων, Vivid In- <i>flammation.</i>			
ERYTHEMA; from Ερυθρ- μα, Redness.			
PHRENĪTIS, <i>Phrensy, or Inflammation of</i> <i>the Brain</i> ; from φρην, the Mind, }	I	II	6
PHTHISIS, <i>Pulmonary Consumption</i> ; from } φθίω, to consume, - - }	I	IV	31
INCIPIENS, <i>Incipient</i> ; with- out any expectoration of Pus.			
HUMIDA, <i>Purulent</i> ; with an expectoration of Pus.			
SCROPHULOSA; <i>From Scro-</i> <i>phula</i> , Tubercles in the Lungs.			
HÆMOPTOICA, <i>From Hæ-</i> <i>moptysis.</i>			
EXANTHEMATICA, <i>From</i> <i>Exanthemata.</i>			
CHLOROTICA, <i>From Chlo-</i> <i>rosis.</i>			
SYPHILITICA, <i>From a Ve-</i> <i>nereal Ulcer in the Lungs.</i>			
PHYSCONIA, <i>Enlargement of the Abdo-</i> <i>men</i> ; from Φυσκων, a big bellied } fellow, - - - }	III	II	75

PHYSOMETRA, *Windy Swelling of the Uterus*; from φυσω, to inflate; and μήτρα, the Womb, - - }

PLAGUE. *V. PESTIS.*

PLEURĪTIS, *Pleurisy, or Inflammation of the Pleura.* *V. PNEUMONIA.*

PLICA POLONICA. *V. TRICHOMA.*

PNEUMATOSIS, *Emphysema, or Windy Swellings,* - - }

SPONTANEA, *Without any manifest cause.*

TRAUMATICA, *From a Wound.*

VENENATA, *From Poisons.*

HYSTERICA, *With Hysteria.*

PNEUMŌNIA, from πνεύμων, the Lungs,

PROFLUVIA, *Fluxes,* - - -

PROFUSIO, *The Bloody Flux,* - - -

PROLAPSUS, *A Protrusion,* - - -

PROTRUSION, *or Falling down.* *V. PRO-*
LAPSUS.

PSEUDOBLEPSIS, *Imaginary Vision of Objects*; from ψευδής, false; and βλέψις, sight, - - }

IMAGINARIA, *In which objects are perceived which are not present.*

MUTANS, *In which objects that are present appear somehow changed.*

PSELLISMUS, *Defect of Speech*; from ψελλισμα, *Hesitation of Speech,* }

PSORA, ψώρα, the Itch, - - -

PTYALISMUS, *A Salivation,* - - -

PYREXIÆ, *Febrile Diseases*; from πυρεξία, *Fever,* - - }

PYRŌSIS, *Heart-burn*; from πυρωσις, *Burning,* - - }

Cl.	Or.	Gen.
III	II	67
III	II	65
I	II	8
I	V	
IV	IV	109
IV	VII	135
IV	I	89
IV	III	106
IV	VIII	141
IV	IV	112
I		
II	III	50

	Cl.	Or.	Gen.
R.			
RACHĪTIS, <i>The Rickets</i> , from Ραχις, the Back-bone, - - - }	III	II	76
RAPHANIA, from Ραφαν, the radish, or charlock; eating the Seeds of which will occasion this Disease, }	II	III	44
RICKETS. V. RACHITIS.			
RUBEOLA, <i>The Measles</i> , from Rubeo, to become red, - - - }	I	III	26
RUPTURE. V. HERNIA.			
RHEUMATISM, Chronic. V. ARTHRO- DYNIA.			
RHEUMATISMUS, <i>The Rheumatism</i> , from Ρευματισμος, a Defluxion, - - }	I	II	18
S.			
SALIVA, <i>Flux of</i> . V. PTYALISMUS.			
SARCOMA, <i>An Excrescence</i> , from Σαρξ, Flesh, - - - }	IV	VI	126
SATYRIASIS, <i>Excessive desire after Ve-</i> <i>nery</i> , - - - }	IV	II	98
SEED, <i>Preternatural flow of</i> . V. GONOR- RHŒA.			
SENSATION, <i>Want of</i> . V. ANÆ- STHESIA.			
SINGINGS IN THE EAR. V. PARA- CUSIS.			
SCALD HEAD. V. TINEA.			
SCARLATINA, <i>The Scarlet Fever</i> , - -	I	III	28
———— SIMPLEX, <i>The Mild</i> .			
———— CYNANCHICA, <i>With</i> <i>ulcerated sore throat, or Cynanche</i> .			
SCIATICA. V. RHEUMATISMUS.			
SCORBUTUS, <i>Scurvy</i> , - - -	III	III	79
SCURVY. V. SCORBUTUS.			
SCHIRRUS, Σκιρρος, a Chip of Marble, -	IV	VI	123
SCROPHULA, <i>The King's Evil</i> ; Scrophula, a Pig, - - - }	III	III	77
SMALL POX. V. VARIOLA.			
SMELL, <i>Loss of</i> . V. ANOSMIA.			

	Cl.	Or.	Gen.
SPASMI, <i>Spasmodic Diseases</i> , from $\sigma\pi\alpha\omega$, } to contract, - - - }	II	III	
SPEECH, <i>Defect of</i> . V. PSELLISMUS.			
SPITTING OF BLOOD. V. HÆMOP- TYSIS.			
SPLENĪTIS, <i>Inflammation of the Spleen</i> , -	I	II	14
SQUINTING. V. STRABISMUS.			
ST. ANTHONY'S FIRE. V. ERYSI- PELAS.			
ST. VITUS'S DANCE. V. CHOREA.			
STRABISMUS, $\sigma\tau\epsilon\alpha\lambda\iota\sigma\mu\omicron\varsigma$, Squinting, -	IV	III	107
SWEATING. V. EPHYDROSIS.			
SWELLING OF THE HEAD, External. V. HYDROCEPHALUS EXTER- NUS.			
SYNŌCHA, $\sigma\upsilon\nu\omicron\chi\alpha\varsigma$, continued. V. FE- BRIS CONTINUA.			
SYNCŌPE, <i>Fainting</i> , from $\sigma\upsilon\nu\kappa\omicron\pi\iota\omega$, to } strike down, - - - }	II	II	38
————— CARDIACA, <i>The Cardiac</i> <i>Syncope</i> ; arising from some or- ganic affection of the heart, or neighbouring vessels, and return- ing <i>without any manifest cause</i> .			
————— OCCASIONALIS, <i>The ex-</i> <i>citing cause being manifest</i> .			
SYPHĪLIS, <i>Lues Venerea</i> , - - -	III	III	78
T.			
TABES, <i>A Wasting of the Body</i> , - -	III	I	62
————— PURULENTA; <i>from an ul-</i> <i>cerous discharge</i> .			
————— SCROPHULOSA; <i>from a</i> <i>scrophulous habit</i> .			
————— VENENATA; <i>from Poison</i> .			
TASTE, <i>Want of</i> . V. AGEUSTIA.			
TEARS, <i>A Flux of</i> . V. EPIPHŌRA.			
TETĀNUS, <i>Spasm with Rigidity</i> , from $\tau\epsilon\iota\lambda\omega$, to stretch.			


	Cl.	Or.	Gen.
————— OPISTHOTONOS, <i>Where the body is thrown back by spasmodic contractions of the Muscles</i> ; from <i>Οπισθοτρονος</i> , bent back.			
————— EMPROSTHOTONOS, <i>The body being bent forwards</i> ; from <i>Εμπροσθεν</i> , before; and <i>τείνω</i> , to stretch.			
————— TRISMUS, <i>The Locked Jaw</i> ; from <i>Τρισμος</i> , stridor.			
TETTERS. <i>V.</i> HERPES.			
TINĒA, <i>A Scald Head</i> , - - -	I	VIII	140
TOOTH-ACH. <i>V.</i> ODONTALGIA.			
TUMORES, <i>Tumours</i> , - - -	IV	VI	
TUSSIS EXANTHEMATICA, <i>A cough attendant on an eruption.</i>			
THIRST, <i>Excessive. V.</i> POLYDIPSIA.			
TRICHOMA, <i>An Entanglement of the Hair</i> , from <i>Θρίξ</i> , <i>Τρίχος</i> , and <i>Κομην</i> , the Hair.	III	III	83
TYMPANITES, <i>Tympany</i> , <i>Τυμπανειν</i> , a Drum,			
————— INTESTINALIS, <i>A lodgement of wind in the Intestines.</i>			
————— ABDOMINALIS, <i>Wind in the Abdomen.</i>			
TYPHUS, <i>Τυφος</i> , Stupor. <i>V.</i> FEBRIS CONTINUA.			
————— PETECHIALIS, <i>Typhus with Petechiæ.</i>			
————— MITIOR, <i>The milder Typhus, or Slow Fever.</i>			
————— GRAVIOR, <i>The Oppressive, or Putrid Fever.</i>			
————— ICTERODES, <i>The Yellow Fever</i> ; from <i>Ικτερός</i> , <i>Felle effusus</i> .			

V.

	Cl.	Or.	Gate
VARIÖLA, <i>The Small Pox,</i> - -	I	III	24
—— DISCRETA, <i>The Distinct.</i>			
—— CONFLUENS, <i>Confluent.</i>			
VARICELLA, <i>The Chicken Pox,</i> - -	I	III	25
VARIX, <i>The Tumour of a Vein,</i> - -	IV	VI	125
VERRÜCA, <i>A Wart,</i> - -	IV	VI	127

W.

WHITE SWELLING. V. ARTHROPU-
OSIS.



PART II.

A
COMPENDIUM
OF
THERAPEUTICS,
WITH
FORMULÆ.

1894

1895

1896

C O N T E N T S.

	Classes.
EMETICA - -	I.
CATHARTICA - -	II.
DIAPHORETICA - -	III.
DIURETICA - -	IV.
EPISPASTICA - -	V.
EXPECTORANTIA - -	VI.
ERRHINA - -	VII.
SIALAGOGA - -	VIII.
EMMENAGOGA - -	IX.
ANTHELMINTICA - -	X.
LITHONTRIPTICA - -	XI.
ANTACIDA - -	XII.
ATTENUANTIA - -	XIII.
ANTISEPTICA - -	XIV.
ASTRINGENTIA - -	XV.
CORROSIVA - -	XVI.
DEMULCENTIA - -	XVII.
STIMULANTIA - -	XVIII.
ANTISPASMODICA - -	XIX.

The following Table is intended
to show the doses of medicine
proper for persons of different
ages supposing 3j for an adult.

Ages	Common Dose 3j	Proportion at Doses
Weeks 7	$\frac{1}{15}$	gr. iv
Months 7	$\frac{1}{12}$	gr. v
14	$\frac{1}{8}$	gr. viij
18	$\frac{1}{5}$	gr. xij
Years 3½	$\frac{1}{4}$	gr. xv
5	$\frac{1}{3}$	ʒi
7	$\frac{1}{2}$	ʒss
14	$\frac{2}{3}$	ʒij
21		ʒi
43	$\frac{1}{2}$	gr. lvi
77	$\frac{5}{8}$	ʒij
100	$\frac{4}{7}$	ʒij

MEDICINES ARRANGED

IN THEIR

CLASSES AND ORDERS.

CLASS I. EMETICA.

Orders.

I. *Irritantia.*

Antimon. tartarifatum. gr. 1.—gr. 6.
 Zincum vitriolatum, - gr. 10.—scr. 2.
 Hydrargyrus vitriolatus, gr. 4.—gr. 12.
 Ipecacuanha, - - gr. 3.—scr. 1.
 Afarum, rad. - - scr. 1.—dr. 1.
 Scilla exsiccata, - - gr. 4.—gr. 6.

II. *Calefacientia.*

Sinapi, - - - dr. 1.—dr. 4.
 Raphanus rusticanus, - scr. 1.—dr. $\frac{1}{2}$.
 Chamæmelum, - - - scr. 1.—dr. 1.

III. *Narcotica.*

Nicotiana. - - - dr. $\frac{1}{2}$.—un. 4.
 Digitalis, - - - gr. 2.—gr. 5.

Zinc Sulph

Cupri Sulph^F

gr. $\frac{1}{4}$ - 1

CLASS

CLASS II. CATHARTICA.

Orders.

I. *Stimulantia.*

Jalapium.	-	-	gr. 10.—scr. 1½.
Senna.	-	-	scr. 1.—dr. 2.
Aloë socotorina,	-	-	gr. 10.—scr. 1½.
Colocynthis,	-	-	gr. 4.—gr. 12.
Calomelas,	-	-	gr. 4.—gr. 12.
Scammonium,	-	-	gr. 5.—gr. 15.
Gambogia,	-	-	gr. 4.—gr. 15.
Elaterium,	-	-	gr. 1.—gr. 5.

II. *Calefacientia.*

Guaiacum gummi-resina, gr. 10.—dr. 1.

III. *Refrigerantia.*

Natron vitriolatum,	-	dr. 4.—un. 1½.
Kali vitriolatum,	-	dr. 4.—un. 1.
Flores sulphuris,	-	scr. 1.—dr. 1.
Cassia fistularis,	-	un. ½.—un. 1½.

IV. *Astringentia.*

Rhabarbarum, - - gr. 15.—dr. 1.

V. *Emollientia.*

Oleum ricini.	-	-	dr. 4.—un. 2.
Manna,	-	-	dr. 4.—un. 2.

VI. *Narcotica.*

Nicotiana,	-	-	dr. ½.—un. 4. aq.
Hyoscyamus,	-	-	gr. 1.—gr. 3.
Digitalis.	-	-	gr. 2.—gr. 5.

Magnus Carb.

CLASS

CLASS III. DIAPHORETICA.

Orders.

I. *Calefacientia.*

Serpentaria,	-	-	gr. 10.—scr. 2.
Contrayerva,	-	-	gr. 10.—scr. 2.
G. Guaiacum,	-	-	gr. 10.—scr. 2.
Arnica, flos,	-	-	dr. 1.
Liq. volat. Cornu Cervi,	gt.	20.—gt.	60.
Oleum essen. lavendulæ,	gt.	4.—gt.	10.

II. *Stimulantia.*

Antimonium tartarifatum,	gr.	$\frac{1}{2}$.	o. b.
Vinum antimonii,	-	gt.	5.—gt. 60.
Calomelas,	-	-	gr. 1.

III. *Antispasmodica.*

Opium,	-	-	gr. $\frac{1}{2}$.—gr. 1.
Moschus,	-	-	gr. 10.—scr. $1\frac{1}{2}$.
Camphora,	-	-	gr. 4.—scr. 1.
Ipecacuanha,	-	-	gr. 1.

IV. *Diluentia.*

Aqua,	-	-	ad libitum.
Serum lactis.	-	-	ad libitum.

*Crocus**Aq. Gum Aceta ʒi-3i*

CLASS IV. DIURETICA.

Orders.

I. *Stimulantia.*

Colchicum. rad.	-	gr. $\frac{1}{2}$.—gr. 2.
Daucus Sylvestris	-	un. $\frac{1}{2}$. ad. aq. lb. $\frac{1}{2}$.
Genista. cac.	-	un. $\frac{1}{2}$. ad. aq. lb. $\frac{1}{2}$.
Juniper. cac. manip.	1. d. coch. 2.	
Taraxacum fuc.	-	un. 1.—un. 3.
Terebinthina.	-	scr. 1.—dr. 1.
Scilla,	-	gr. 2.—gr. 6.
Cantharides,	-	gr. $\frac{1}{2}$.
Apium.		

II. *Refrigerantia.*

Acetum,	-	un. $\frac{1}{2}$.—un. 1.
Acetosa,	-	un. 4.—un. 6.
Petroelinum,	-	dr. $\frac{1}{2}$.
Kali præparatum,	-	gr. 12.—scr. 1.
Kali acetatum,	-	gr. 20.—gr. 30.
Nitrum,	-	gr. 10.—gr. 25.
Berberis.		

III. *Diluentia.*

Serum lactis.	-	ad libitum.
---------------	---	-------------

CLASS

CLASS V. EPISPASTICA.

Orders.

I. *Rubefacientia.*

Sinapi.

Raphanus rusticus.

Cortex radices mezerei.

II. *Vesicantia.*

Cantharides.

CLASS VI. EXPECTORANTIA.

I. *Stimulantia.*

Allium,	-	-	dr. 1.—dr. 2.
Ammoniacum,	-	-	gr. 15.—dr. $\frac{1}{2}$.
Enula, -	-	-	scr. 1.—dr. 1.
Hyssopus,	-	-	manip. 1.—vel 2.
Marrubium,	-	-	manip. $\frac{1}{2}$.
Scilla, -	-	-	gr. 3.—gr. 6.
Antimonium.	-	-	scr. 1.—scr. 2.
Vesicatoria.			
Nicotianæ fumus.			

II. *Emollientia.*

Glycyrrhiza, -	-	dr. 2.—un. 1.
Sperma ceti. -	-	dr. $\frac{1}{2}$.—dr. 1.
Tussilago, -	-	ad libitum.
Vapores, -	-	ad libitum.

CLASS VII. ERRHINA.

Orders.

Stimulantia.

Beta, rad. fuc.

Betonica, folia, - - gr. 3.—gr. 5.

Euphorbium, - - gr. $\frac{1}{4}$.

Asarum, - - gr. 3.—gr. 4.

Helleborus, - - gr. 5.—gr. 10.

Nicotiana, - - *ad libitum*.

CLASS VIII. SIALAGOGA.

I *Topica.*

Angelica, - - - dr. 1.

Nicotiana, - - *ad libitum*.

Piper, - - - gr. 10.—scr. 1.

Scillæ, - - - gr. 3.—gr. 6.

Sal Prunellæ, - - gr. 3.—scr. 1.

II. *Interna.*

Ung. hydr. mitius, - dr. 1.

Ung. hydr. fortius, - dr. $\frac{1}{2}$.

Pilulæ ex hydr. - - gr. 12.—gr. 20.

CLASS

CLASS IX. EMMENAGOGA.

Orders.

I. *Stimulantia.*

Borax,	-	-	-	gr. 10.—scr. 1.
Aloë soc.	-	-	-	gr. 10.—scr. 1.
Sabina,	-	-	-	gr. 5.—scr. 1.
Rubia,	-	-	-	gr. 15.
Cantharides,	-	-	-	gr. $\frac{1}{4}$.
Electricitas.				
Hydrargyrus.				

II. *Tonica.*

Ferri rubigo,	-	-	gr. 5.—scr. 1.
Limatura,	-	-	gr. 5.—scr. 1.
Lavatio frigida.			
Corporis exercitio.			
Diæta lauta.			

III. *Antispasmodica.*

Afafœtida,	-	-	scr. 1.—scr. 2.
Myrrha,	-	-	gr. 10.—gr. 30.
Castoreum,	-	-	gr. 10.—gr. 30.
Pediluvium.			

CLASS X. ANTHELMINTICA.

Orders.

I. *Venenosa.*

Stannum.	-	gr. 15.—gr. 60.
Hydrar. cum Sulphure.	scr. 1.—dr. 1.	
Spigelia,	-	dr. 4.
Filix,	-	dr. 2.—dr. 4.
Heleborus foetidus.	-	gr. 1.—gr. 8.
Hydrargyrus.		

II. *Irritantia.*

Stizolobium (<i>dolichos pruriens</i> , L. S. P.)		
Coralina.	-	scr. 1.—scr. 3.

III. *Lubricantia.*

Oleum olivarum.	-	dr. 4.—un. 1.
Oleum ricini,	-	dr. 4.—un. 1.

IV. *Tonica.*

Sabina,	-	gr. 5.—scr. 1.
Santonium,	-	dr. 1.
Tanacetum.		
Ferrum vitriolatum,	-	gr. 2.—gr. 8.
Linatura Ferri,	-	gr. 5.—scr. 1.
Aqua calcis.		

V. *Cathartica.*

Sapo,	-	un. 1.
Jalappa,	-	scr. 1.—scr. 2.
Rheum,	-	gr. 10.—gr. 30.
Aloë soc.	-	gr. 10.—gr. 20.
Scammonium,	-	gr. 4.—gr. 16.
Gambogia,	-	gr. 2.—gr. 6.

CLASS

CLASS XI. LITHONTRIPTICA.

Orders.

I. *Antacida.*Sapo, - - - dr. $\frac{1}{2}$.—dr. 2.

Aqua calcis, - - - un. 4.—un. 8.

Aqua kali puri, - - - gt. 10.—gt. 60.

Aqua mephitica alkalina.

II. *Adstringentia.*

Uva ursi, - - - scr. 2.

CLASS XII. ANTACIDA.

I. *Eccoprotica.*

Sapo. - - - gr. 5.—gr. 30.

Magnesia. - - - gr. 5.—gr. 40.

Alkalina.

II. *Restringentia.*

Creta. ppt. - - - dr. 1.—scr. 2.

Testæ ostreorum, ppt. scr. 1.—scr. 3.

Aqua calcis, - - - un. 4.—un. 8.

CLASS

CLASS XIII. ATTENUANTIA.

Orders.

I. *Diluentia.*

Serum lactis.

II. *Deobstruentia.*

Sapo.

Sales Neutri.

Hydrargyrus.

Alkalina.

Spongia usta. - - scr. 1.—scr. 2.

CLASS XIV. ANTISEPTICA.

I. *Tonica.*

Cortex peruvianus. - gr. 10.—dr. 2.

Absinthium. - - scr. 1.—dr. $\frac{1}{2}$.Chamæmelum. - - scr. 1.—dr. $\frac{1}{2}$.II. *Refrigerantia.*

Sales acidi.

Sales neutri.

Fructus & vegetabilia.

III. *Stimulantia.*

Camphora. - - gr. 3.—gr. 24.

Asafœtida. - - gr. 15.—dr. $\frac{1}{2}$.

Vinum.

Alkohol, - - - dr. $\frac{1}{2}$.—dr. 1.

Oleum terebinthinæ, - gt. 10.—gt. 30.

CLASS

CLASS XV. ASTRINGENTIA.

Orders.

I. *Styptica.*

Alumen, - - -	gr. 1.—gr. 24.
Ferrum vitriolat. -	gr. 1.—gr. 6.
Ferrum ammoniacale, -	gr. 3.—gr. 12.
Ferri rubigo, - - -	gr. 5.—gr. 24.
Ferri limatura, - - -	gr. 5.—scr. 1.
Zincum calcinatum, -	gr. 2.—gr. 10.
Zinc. vitriolatum, -	gr. 1.—gr. 5.
Arsenicum, - - -	gr. $\frac{1}{16}$.
Cuprum.	

II. *Corrugantia.*

Rosa.

Tormentil, - - -	scr. 2.—dr. 1.
Cortex peruvianus, -	gr. 10.—dr. 2.
Simarouba, - - -	gr. 10.—gr. 24.
Sanguis draconis, -	gr. 5.—scr. 1.
Quercus.	
Gallæ.	

III. *Indurantia.*

Alcohol.

Acidum vitrioli. dilutum, gt. 10.—gt. 20.

IV. *Tonica.*

Exercitium.

Frictio.

CLASS

CLASS XVI. CORROSIVA.

Orders.

I. *Erodentia*.

Cuprum vitriolatum.

Alumen ustum.

II. *Caustica*.

Argentum nitratum.

Acidum vitriolicum.

CLASS XVII. DEMULCENTIA.

Gummi arabicum. *un.* 1.—*un.* 3.Oleum amygdalarum. *dr.* 2.—*un.* $\frac{1}{2}$.Sperma ceti. - - *gr.* 15.—*gr.* 60.Althæa. - - *manip.* 1.—2.Caricæ. - - *dr.* 4.—*un.* 1.Malva. - - *manip.* 1.—2.Lini semen. - - *dr.* 4.—*un.* 1.

CLASS

CLASS XVIII. STIMULANTIA.

Orders.

I. *Topica.*

Sinapi, - - dr. 1.—dr. 2.

Raphanus rusticus, dr. $\frac{1}{2}$.—scr. 1.Cantharides, - - gr. $\frac{1}{2}$.—gr. 2.

Mercurii præparationes.

II. *Diffusibilia.*

Alkali volatile.

Calor.

Cinnamomum.

Nux moschata.

Vinum.

Electricitas.

Tinct. Opii. - - gt. 3.—gt. 5.

CLASS

CLASS XIX. ANTISPASMODICA.

Orders.

I. *Stimulantia.*

Alkali volatile.

Olea essentialia.

Spiritus vini.

Æther vitriolicus, - gt. 30.—gt. 100.

Valeriana, - - gr. 10.—dr. 2.

Asafoetida, - - gr. 20.—gr. 40.

Camphora, - - gr. 3.—gr. 24.

Moschus, - - gr. 8.—gr. 24.

Opium, - - gr. 1.—gr. 3.

Electricitas.

II. *Tonica.*

Cortex peruvianus. - gr. 10.—dr. 2.

Ferrum. - - gr. 10.—gr. 20.

Zincum. calcin. - gr. 4.—gr. 10.

Cuprum.

Exercitium.

V. *Astringentia.*

CLASS I. EMETICA.

Formulæ.

1. R.	{	Antim. tart.	-	-	gr. 5.
		Syr. papav. errat.	-	-	dr. 1.
		Aq. font.	-	-	un. 6.
		<i>d. un. i. o. $\frac{1}{4}$. b. usque ad vomitionem.</i>			
2. R.	{	Antim. tart.	-	-	gr. 2.
		Ipecac.	-	-	gr. 10.
		<i>p. r. n. s.</i>			
3. R.	{	Vin. antimon.	-	-	un. 1.
		Oxymel Scillæ,	-	-	dr. 6.
		<i>p. r. n. s.</i>			
4. R.	{	Oxymel Scillæ,	-	-	un. 2.
		<i>p. r. n. s.</i>			
5. R.	{	Oxymel Scillæ,	-	-	un. 2.
		Suc. raph. rust.	-	-	un. 1.
		<i>p. r. n. s.</i>			
6. R.	{	Vin. ipec.	-	-	un. 1.
		Syr. violar.	-	-	dr. 2.
		<i>v. s.</i>			
7. R.	{	Vin. ipec.	-	-	un. 1.
		Vin. antim.	-	-	dr. 1.
		Syr. viol.	-	-	dr. 2.
		<i>v. s.</i>			
8. R.	{	Antim. tart.	-	-	gr. 1.
		Ipecac.	-	-	gr. 6.
		Calomel.	-	-	gr. 3.
		<i>v. s.</i>			

CLASS

CLASS II. CATHARTICA.

Formulae.

9. R. { Jalap. - - - - gr. 25.
Zinzib. - - - - scr. 1.
c. m.
10. R. { Aloë foc. - - - - dr. 12.
Myrrh. - - - - un. 2.
Croc. - - - - un. 1.
Alkohol. - - - - lb. 2.
Digere. Cola. d. dr. 4. — un. 1. Sign.
Elixir Proprietatis.
11. R. { Aloë foc. - - - - dr. 12.
G. guaiac. - - - - un. 1.
Pulv. arom.
Bals. peruv. - - - - āā dr. 4.
Syr. cort. aur. - - - - q. s.
f. Pill. d. scr. 1.
12. R. { Aloë foc.
Extr. gentian. - - - āā dr. 1.
Calomel. - - - - gr. 24.
Mucil. gum arab. - - - q. s.
f. Pill. n^o 50. d. Pill. 2. h. s. s.
13. R. { Aloë foc.
Extr. gentian. - - - āā dr. 1.
Ferri vitriolat. - - - gr. 15.
Syr. rosæ, - - - - q. s.
f. Pill. d. gr. 10. h. s. s.

14. R.

R₁ { Aloe Soccor in Pulv 3j
Pulv Jalapoe 3j
20 { Calomel 1 Lsg 3j
Extr Gentian 3j
Syr. Castor 3j 4 Mass

Pilule.

Formulæ.

14. R. { Aloë foc.
Sapon. alb.
Pil. Gummi. - - - āā un. 1.
d. scr. 1. b. s. s.

15. R. { Aloë foc.
Colocynth.
Scammon. - - - āā dr. 1.
Extr. Jalap. - - - dr. 3.
Syr. simp. - - - q. s.
f. Pill. d. gr. 12. b. s. s.

16. R. { Scammon.
G. guaiac. - - - āā scr. 1.
Aq. cinnam.
Syr. rosæ, - - - āā dr. 2.
f. haust. hydrag. m. s.

17. R. { Elaterii, - - - gr. $\frac{1}{4}$.
Extr. gentian. - - - gr. 4.
o. b. b. s.

18. R. { Flor. Sulph.
Cremor. tart. - - - āā un. 1.
Mel. - - - q. s.
f. Elect. d. dr. 1. p. r. n.

19. R. { Kali vitriolat.
Jalap.
Valer. fylv. - - - āā dr. 1.
Oxymel Scillæ, - - - un. 4.
d. dr. 4. ter in die.

G

20. R.

21 R. { Extr. Colocynth Co 3ij
Calomel ʒij
Syr. q. s. ut fiat mass. h. n. 136
K. lube.

Formulæ.

20. R.	{	Rhei,	-	-	-	-	scr. 1.
		Jalap,	-	-	-	-	gr. 5.
		Aq. cinnam.	-	-	-	-	un. 1.
		Syr e Cort. Aur.	-	-	-	-	dr. 1.
		m. s.					

21. R.	{	Rhei,	-	-	-	-	un. 1.
		Sennæ,	-	-	-	-	un. 2.
		Sem. fœnic.					
		Bac. junip.					
		Scobis guaiac.	-	-	-	āā	dr. 4.
		Sach. alb.	-	-	-	-	un. 4.
		Sp. vin. gal.	-	-	-	-	lb. 3.
		Digere. Cola. d. un. 1. Elixir					
		Salutis. vulgo Daffy's Elixir.					

22. R.	{	Rhei,	-	-	-	-	un. 1.
		Sennæ,	-	-	-	-	dr. 2.
		Cardam.					
		Coriand.	-	-	-	āā	dr. 1.
		Croci.					
		Coccinel.	-	-	-	āā	scr. 2.
		Uvæ paff.	-	-	-	-	un. 3.
		Sp. vin. gal.	-	-	-	-	lb. 1.
		Digere. Cola. d. un. 2. p. r. n.					
		Boerhaave's Gout Cordial.					

R. ol. Ricini ℥j Mucilag Gum
Acacia ℥ij et Bis℥ Ovi
Magnes Albi ℥ij
Aqua Menthae ℥℥ ℥ij
Inf Emulsion.

CLASS

CLASS III. DIAPHORETICA.

Formulae. 2.

23. R. { Contrayerv. - - - scr. 1.
Syr. Croci. - - - q. s.
f. Pil. h. s. s.
24. R. { G. Guaiac. - - - scr. 1.
Sal. C. C. - - - gr. 5.
Conf. rofar. - - - scr. 2.
h. s. s.
25. R. { G. Guaiac.
Sach. alb. - - - āā dr. 2.
Extr. Gent. - - - dr. 1.
Mucil. G. arab. - - - q. s.
f. Pil. d. gr. 15.
26. R. { Cort. rad. Mezerii recent. un. 1.
Aq. font. - - - cong. 1½.
Coque ad Cong. 1. & adde.
Glycer. - - - un. 1.
d. un. 6. ter in die.
27. R. { Sulph. antim. præcip. - gr. 10.
Hydrargyr. ē sulph. - dr. 2.
Guaiac. - - - scr. 2.
f. pulv. No. 10. c. 1. p. m. & v.
28. R. { Sulph. antim. præcip. - dr. 2.
Calomel. - - - scr. 2.
Ol. Sassafras. - - - gt. 40.
Extr. lig. guaiac. - - - dr. 7.
Syr. papav. alb. - - - q. s.
f. Pill. 80. d. No. 3. o. n.

G 2

29. R.

R_j Annou lht 3p ligat.
adde Pulv. huc ac Co 31.
Pulv. Antimoniat. 67 x 4
Calomel lht 4th of Pulv.
dis note In Rheumatismis

Formulae.

29. R.	{	Mist. Camph.	-	-	un. 1.
		Vin. Antimon.	-	-	gt. 40.
		b. s. s.			
30. R.	{	Camph.	-	-	gr. 5.
		Tart. emet.	-	-	gr. 1.
		Elect. è Scordio,	-	-	scr. 1.
		b. s. s.			
31. R.	{	Mosch.	-	-	gr. 10.
		Conf. ros.	-	-	scr. 1.
		b. s. s.			
32. R.	{	Mosch. (sach. alb. trit.)			gr. 30.
		Aq. cinnam.	-	-	un. 6.
		d. un. 1.			
33. R.	{	Tinct. Opii.	-	-	dr. 1.
		Vin. antimon.	-	-	dr. 3.
		d. gt. 30. ad 120. b. s.			
34. R.	{	Tinct. Opii.	-	-	gt. 40.
		Vin. ipec.	-	-	dr. 3.
		Aq. Ammon. Acetat.	-	-	dr. 4.
		Aq. rosar.	-	-	un. 1.
		Sach. alb.	-	-	dr. 2.
		b. s. s.			
35. R.	{	Kali præpar.	-	-	scr. 1.
		Suc. limon.	-	-	dr. 4.
		Aq. cinnam.	-	-	un. 1.
		Syrup. papav. errat.	-	-	dr. 1.
		p. r. n. s.			

CLASS

CLASS IV. DIURETICA.

Formulæ.

36. R. { Sem. dauc. fylv.
 Bac. junip. - - - āā dr. 2.
 Aq. font. - - - lb. 1.
Digere. Cola. d. un. 2. o. n.

37. R. { Sem. dauc. fylv.
 Sapon. alb. - - - āā dr. 1.
 Millep. ppt. - - - dr. 2.
 Muc. gum. arab. - - q. s.
f. Pill. d. scr. 1. o. n.

38. R. { Juniper bac. - - - un. 4.
 Vin. alb. - - - lb. 2.
Digere. d. un. 2. ter in die.

39. R. { Tereb. venet. - - - dr. 1.
 Mucil. g. arab. - - - dr. 4.
 Aq. puleg. - - - un. 6.
 Syr. e cort. aur. - - - dr. 4.
b. s. s.

40. R. { Tinct. cantharid. - - - gt. 30.
 Infus. cort. per. - - - un. 1.
 Aq. N. M.
 Syr. cort. aurant. - - - āā dr. 1.
bis in die.

41. R. { Kali. - - - - gr. 10.
 Rhei. - - - - scr. 1.
 Ol. juniper, - - - - gt. 4.
b. s. s.

G 3

42. R.

*Rj Potass. Acetat ʒj solv
 42 in Infus Quapice ʒij
 Sst Ath Nutros ʒss of Semib
 gto vij in Sacch alb ʒss Tinct
 Calumbo ʒss Mixture*

Formulæ.

- | | | | | | |
|--------|---|-----------------------------|---|---|-------------|
| 42. R. | { | Kali. | | | |
| | | Jalap. | | | |
| | | Raphan. rust. | - | - | - āā un. 1. |
| | | Ciner. genist. | | | |
| | | Millep. | - | - | - āā un. 2. |
| | | Vin. rhen. | - | - | - lb. 4. |
| | | { Digere. Cola. d. un. 2. | | | |
| | | | | | |
| 43. R. | { | Oxymel scillæ. | - | - | dr. 3. |
| | | Conf. arom. | - | - | scr. 1. |
| | | Aq. fœniculi. | - | - | un. 1. |
| | | Aq. cinnam. | - | - | dr. 1. |
| | | c. m. | | | |
| | | | | | |
| 44. R. | { | Scillæ exsic. | - | - | gr. 4. |
| | | Sapon. alb. | - | - | scr. 1. |
| | | c. m. & v. | | | |
| | | | | | |
| 45. R. | { | Scill. recent. | - | - | gr. 10. |
| | | Ammon. pulv. | - | - | gr. 15. |
| | | Pulv. tragac. c. | - | - | gr. 5. |
| | | f. Bolus. 6. ter in die. s. | | | |
| | | | | | |
| | | | | | |
| 46. R. | { | Tinct. scill. | - | - | gt. 30. |
| | | Aq. cinnam. | - | - | un. 1½. |
| | | Syr. caryoph. rubr. | - | - | dr. 1. |
| | | f. Haustus. ter in die. s. | | | |

CLASS V. EPISPASTICA.

Formulæ.

47. R. { Lin. Sapon. comp. - un. $1\frac{1}{2}$.
 { Tinct. Canth. - un. $\frac{1}{2}$.
 { f. Lin. quod. part. affect. infricetur.

CLASS VI. EXPECTORANTIA.

48. R. { Oxymel scillæ. - - dr. 2.
 { Aq. cinnamom. - - un. 1.
 { c. m.

49. R. { Scillæ recentis.
 { Gum. ammon. - - āā un. 1.
 { Glycyrr. - - - q. s.
 { f. Pill. d. scr. 1. m. s.

50. R. { Enulæ.
 { Glycyrr.
 { Flor. sulph. - - - āā un. 1.
 { Mel. - - - un. 4.
 { c. M. N. M. ter in die.

51. R. { Sperm. ceti. (v. o. s.) - dr. 2.
 { Lac ammon. - - - dr. 8.
 { Syr. croci. - - - dr. 6.
 { d. un. 1. ter in die.

R₄ Precip. Sulph. Ant^g xxw
 Calomel^{G₄} h^h (gⁿ x xw CLASS-
 Pulv. Opⁿ qⁿ x xw Pulv
 Dig. Salis^g x xw Flow
 Pulv. rosin 3℥ Camphor 3℥
 anucil^g Acac^g q. s. A
 Fiat Mas. p^r Pulv. No 48 dose

CLASS IX. EMMENAGOGA.

Formulæ.

52. R. { Tinct. cantharid. - - gt. 20.
 Aq. pulegii. - - dr. 12.
 Syr. croci. - - dr. 1.
b. s. s.
53. R. { Pil. ex aloë cum myrrha, scr. 2.
 Pil. gummi,
 Asæfoetid. - - - āā dr. 1.
 Calomel. - - - scr. 1.
f. Pil. 40. c. Pil. 1. b. s.
54. R. { Pil. ex aloë cum myrrha. un. 1.
 Ferri vitriolat. - - dr. 1.
f. Pill. d. scr. 1. b. s.
55. R. { Tinct. aloë comp.
 Tinct. ferri muriati, - āā dr. 2.
 Tinct. helebori nigri, - dr. 4.
d. dr. 1. m. & v.
56. R. { Fer. ammoniac.
 Pulv. aromat. - - āā gr. 10.
b. s. s.
57. R. { Fer. vitriolat. - - dr. 1.
 Sach. alb. - - un. 2.
d. dr. 1. ter in die.
58. R. { Fer. vitriolat. - - gr. 15.
 Aloë foc.
 Asæfoetid.
 Extr. gent. - - - āā dr. 2.
 Syr. cort. aurant. - - q. s.
f. Pill. d. gr. 10. b. s.

CLASS

CLASS X. ANTHELMINTICA.

Formulæ.

59. R. { Calomel, - - - gr. 10.
Rhei, - - - gr. 16.
m. s.
60. R. { Hydrarg. c. sulphure
Santonici, - - - āā dr. 2.
Sabinæ, - - - scr. 1.
Corallinæ, - - - dr. 1.
Syr. cort. aur. - - q. s.
f. Pill. d. scr. 1. m. ℞ v.
61. R. { Stanni, - - - un. 1.
Theriac. - - - un. 4.
d. un. 1. o. m.
62. R. { Spigelix, - - - dr. 12.
Aq. font. - - - lb. 3.
f. Infusio. d. un. 6. m. ℞ v.
63. R. { Santonici.
Rhei.
Corallinæ.
Cor. cervi ust. - - - āā dr. 1.
d. gr. 24. o. m.
64. R. { Sapo. alb. - - - un. 1.
o. m. ad 10^m. vicem.
65. R. { Rhei, - - - gr. 5.
Flor. chamæmel. - - - scr. 1.
o. m. s.

R. Scammon cum Calomel ^{65. R.} gr. v ad x
 R. Gambogia cum Calomel q viij
 R. Pulv Scamm Co Pulv Senn Co
 aa 3ss Calomel lhd gr xij
 Pulv Jalap 3ss Pulv de No Vj

Formulæ.

66. R.	{	Gambog.	-	-	-	gr. 2.
		Calomel.	-	-	-	gr. 5.
		Jalap.	-	-	-	gr. 10.
		<i>m. s.</i>				

CLASS XI. LITHONTRIPTICA.

67. R.	{	Uvæ Urſi,	-	-	-	un. 1.
		Conf. roſ. rub.	-	-	-	un. 2.
		Syr. roſ.	-	-	-	q. s.
		<i>f. Eleſt. d. dr. 2. ter in die.</i>				

CLASS XIII. ATTENUANTIA.

68. R.	{	Spongiæ uſt,	-	-	-	un. 3.
		Syr. althææ.	-	-	-	q. s.
		<i>f. Trochiſci 60.</i>				
		Horum unus h. s. linguâ ſuppoſitus, ibi per noctem lente deliqueſcat. Troches for the <i>Bronchocele.</i>				

CLASS

CLASS XIV. ANTISEPTICA.

Formulæ.

- | | | | | |
|--------|---|--|---------------------------|-------------------|
| 69. R. | { | Decoct. cort. Per. | - | <i>dr.</i> 12. |
| | | Tinct. cort. Per. comp. | - | <i>dr.</i> 2. |
| | | Pulv. cort. Per. | - | <i>scr.</i> 1. |
| | | Syr. cort. aur. | - | <i>dr.</i> 1—6. |
| | | <i>q. b. s.</i> | | |
| 70. R. | { | Decoct. cort. Per. | - | <i>un.</i> 8. |
| | | Conf. aromat. | - | <i>dr.</i> 2. |
| | | Tinct. serpent. | - | <i>dr.</i> 4. |
| | | Aq. cinnam. | - | <i>dr.</i> 12. |
| | | Syr. croci. | - | <i>dr.</i> 4. |
| | | <i>d. un. 2. 4. q. b.</i> | | |
| 71. R. | { | Cort. Per. | - | <i>un.</i> 5. |
| | | Myrrh, | - | <i>un.</i> 1. |
| | | Sp. vin. tenui. | - | <i>lb.</i> 2. |
| | | <i>Digere. cola. d. dr. 4. ter in die.</i> | | |
| | | <i>Addendo superioribus.</i> | | |
| | | Acid vitriol. dilut. | <i>gt. 10. ad gt. 20.</i> | |
| | | <i>p. r. n.</i> | | |
| 72. R. | { | Suc. limon. | - | <i>dr.</i> 4. |
| | | Kali. | | |
| | | Confect. arom. | - | <i>āā scr. 1.</i> |
| | | Syr. tolut. | - | <i>dr.</i> 1. |
| | | Aq. cinnamom. | - | <i>un. 1—8.</i> |
| | | <i>q. b. s.</i> | | |
| 73. R. | { | Mist. camph. | - | <i>un.</i> 1. |
| | | Tinc. asæfœtid. | - | <i>dr.</i> 2. |
| | | Aq. ammoniæ acetat. | - | <i>dr.</i> 3. |
| | | Syr. croci. | - | <i>dr. 1—8.</i> |
| | | <i>q. b. s.</i> | | |

CLASS

CLASS XV. ASTRINGENTIA.

Formulæ.

74. R. { Alum. - - - gr. 30.
 Sang. dracon. - - - dr. 1.
 Syr. ros. - - - q. s.
f. Pill. n^o 28. c. Pil. 3. ter in die.
75. R. { Alum. - - - dr. 2.
 Cort. Per. - - - un. 1.
 Conserv. ros. - - - dr. 12.
 Syr. ros. - - - q. s.
f. Eleſ. c. M. N. M. ter in die.
76. R. { Limat. ferri.
 Ter. japon. - - - āā dr. 3.
 Cort. Per. - - - un. 2.
 Syr. zinzib. - - - q. s.
f. Eleſ. c. M. N. M. ter in die.
77. R. { Ferri. rubig.
 Cort. Peruv. - - - āā un. 1.
 Spec. arom. - - - dr. 4.
 Conf. cort. aur. - - - un. 2.
 Syr. cort. aur. - - - q. s.
f. Eleſ. c. M. N. M. ter in die.
78. R. { Ferri vitriolat.
 Myrrh,
 Flor. chamæmel. - - - āā gr. 10.
bis die s.

79. R.

Formulæ.

79. R. { Zinci vitriolati. - - gr. 25.
 Rhei. - - - - gr. 5.
 Tereb. venet. - - q. s.
bis d. s.
80. R. { Cort. Peruv.
 Confect. aromat. - - āā scr. 1.
 Aq. cinnam. - - dr. 12.
 Spirit. cinnam.
 Syr. cort. aur. - - dr. 1.
m. s.
81. R. { Tinct. cort. Per. comp. dr. 1.—dr. 3.
bis in die.
82. R. { Tinct. cort. Per. comp. un. 1.
 Vin. ferri. - - - dr. 4.
c. dr. 4. ter in die.
83. R. { Tormentil.
 Cort. Peruv.
 Glycyrrh. - - - āā un. 1.
 Syr. cort. aur. - - q. s.
f. Elect. d. M. N. M. ter in die.

V. ANTISEPTICA *tonica*.

CLASS

CLASS XVII. DEMULCENTIA.

Formulae.

84. R. { G. arab. - - - un. 1.
 Aq. font. - - - un. 3.
 Cola. adde.
 Sach. alb. - - - dr. 4.
c. dr. 1. urgente Tussi.
85. R. { Amygd. dulc. - - - no. 15.
 Ol. amygd. - - - un. 1.
 Gum. arab.
 Sach. alb. - - - āā dr. 2.
 Aq. cinnam. - - - un. 8.
d. un. 1. p. r. n.
86. R. { Ol. amygd. - - - un. 2.
 Syr. viol.
 Syr. tolut. - - - āā un. 1.
 Sach. alb. - - - dr. 2.
f. Troch. p. r. n. s.
87. R. { Ol. amygd.
 Syr. viol. - - - āā un. 1.
 Sperma. ceti. - - - dr. 2.
 Conf. ros. - - - dr. 4.
p. r. n. s.
88. R. { Ol. amygd. - - - dr. 3.
 Liq. vol. C. C. - - - gt. 30.
 Syr. tolut. - - - dr. 1.
 Aq. distil. - - - dr. 12.
6. q. b. s.

89. R.

Formulæ.

89. R. {

Sperm. ceti. (v. o. s.)	-	gr. 30.
Suc. limon.	-	dr. 3.
Sal. C. C.	-	gr. 8.
Sp. N. M.	-	dr. 3.
Syr. tolut.	-	dr. 1.
Aq. distil.	-	dr. 12.
6. q. b. s.		

90. R. {

Caric.			
Uvar. pafs.			
Althææ.	-	-	āā un. 1.
Glycyrr.	-	-	dr. 2.
Aq. bul.	-	-	lb. 1j.
<i>f. Infusio. d. un. 2. p. r. n.</i>			

CLASS XVIII. STIMULANTIA.

91. R. {

Sinapi.			
Conf. ros.	-	-	āā un. 1.
Syr. zinzib.	-	-	q. s.
<i>f. Elect. p. r. n. s.</i>			

92. R. {

Raph. ruft.			
Sinapi.	-	-	āā un. 4.
Aq. bul.	-	-	lb. 4.
<i>f. Infus. d. un. 4. ter in die.</i>			

CLASS

CLASS XIX. ANTISPASMODICA.

Formulæ.


93. R. { Afæfoetid. - - - dr. 2.
Ol. anifi. - - - gt. 30.
d. gr. 24. p. r. n. s.
94. R. { Camphor. - - - gr. 10.
Gum. arab. - - - scr. 1.
Syr. papav. alb. - - q. s.
f. bol. p. r. n. s.
95. R. { Mosch. - - - scr. 2.
Gum. arab. - - - dr. 1.
Aq. ros. - - - un. 6.
Syr. papav. alb. - - dr. 4.
d. un. 1. p. r. n. s.
96. R. { Mist. moschat. - - - dr. 4.
Æther vitr. - - - gt. 30.
p. r. n. s.
97. R. { Mosch. - - - gr. 20.
Affæfoetid.
Camph. - - - āā scr. 2.
Tinct. opii. - - - gt. 30.
Syr. papav. alb. - - q. s.
f. Pill. n^o 20. d. Pill. 5. m. & v. s.
98. R. { Valerian. - - - dr. 2.
Aq. cinnam. - - - un. 2.
Aq. N. M.
Syr. croci. - - - āā dr. 1.
m. & v. s.
99. R.

99. R. { Valerian.
 Cort. Peruv. - - āā dr. 6.
 Rei.
 Pulv. arom. - - āā scr. 2.
 Syr. cort. aur. - - q. s.
 f. Eleē. d. M. N. M. ter in die.

1. *Gas oxygenium.*
2. *Gas azoticum.*
3. *Gas hydrogenium.*
4. *Gas acidum Carbonicum.*

These factitious airs promise, under the skilful management of Dr. BEDDOES at the Hot Wells, Bristol, and Dr. THORNTON in London, to be a remedy well worthy the attention of the medical practitioner.

The *oxygen* air, in a properly diluted state, is a stimulus the most natural and diffusive. It promotes the insensible perspiration, greatly aids digestion, favours sleep, exhilarates the spirits, and relieves difficult respiration. It is found of the highest use in the low nervous fever. The *azotic* air abates inflammation, and is the only remedy with the *hydrogene* air that is found capable of arresting the progress of consumption, and the *carbonic acid* air is a most powerful antiseptic.



A GENERAL INDEX,

WITH
AN EXPLANATION OF THE TERMS.

THE ABBREVIATIONS.

<i>āā</i>	Uniuscujusque.	-	-	<i>Equal quantities.</i>
<i>c.</i>	capiat.	-	-	<i>Let him take.</i>
<i>C. C.</i>	Cornu Cervi.	-	-	<i>Hartshorn.</i>
<i>F.</i>	Formula.	-	-	<i>The Prescription.</i>
<i>d.</i>	Dosis.	-	-	<i>The Dose.</i>
<i>dr.</i>	Drachma.	-	-	<i>A Drachm</i>
<i>gr.</i>	Granum.	-	-	<i>A Grain.</i>
<i>gt.</i>	Gutta.	-	-	<i>A Drop.</i>
<i>h s.</i>	Horâ somni.	-	-	<i>Bed-time.</i>
<i>m.</i>	Maue.	-	-	<i>The Morning.</i>
<i>M. N. M.</i>	Magnitudinem Nucis Moschatae.	-	-	<i>The size of a Nut-</i> <i>meg.</i>
<i>o. h.</i>	Omni hora.	-	-	<i>Each Hour.</i>
<i>or 2. h.</i>	Omni bihora.	-	-	<i>Every two Hours.</i>
<i>6. q. h.</i>	Sextâ quâque horâ.	-	-	<i>Every six Hours.</i>
<i>p. r. n.</i>	Pro re natâ.	-	-	<i>As occasion may require.</i>
<i>q. s.</i>	Quantum sufficit.	-	-	<i>As much as is sufficient.</i>
<i>r.</i>	Recipe.	-	-	<i>Take of.</i>
<i>s.</i>	Sumendus.	-	-	<i>To be taken.</i>
<i>scr.</i>	Scrupulus.	-	-	<i>A Scruple.</i>
<i>un.</i>	Uncia.	-	-	<i>An Ounce.</i>
<i>v.</i>	Vespere.	-	-	<i>The Evening.</i>
<i>v. o. s.</i>	In ovi vitello solutus.	-	-	<i>Dissolved in the White of an</i> <i>Egg.</i>

THE CLASSES.

				Class
Anthelmintica	-	from <i>αντι</i> , <i>against</i> ; and <i>ελμινς</i> , <i>a worm</i>	X	
Antiseptica	-	— <i>αντι</i> , <i>against</i> ; and <i>σηπω</i> , <i>to corrupt</i>	XIV	
Antacida	-	— <i>αντε</i> , <i>against</i> ; and <i>acidus</i> , <i>sour</i>	XII	
Antispasmodica	-	— <i>αντι</i> , <i>against</i> ; and <i>σπασω</i> , <i>to contract</i>	XIX	
Astringentia	-	— <i>αstringo</i> , <i>to bind</i>	XV	
Attenuantia	-	— <i>attenuo</i> , <i>to make thin</i>	XIII	
Cathartica	-	— <i>καθαίρω</i> , <i>to purge</i>	II	
Corrosiva	-	— <i>corrodo</i> , <i>to corrode</i>	XVI	
Demulcentia	-	— <i>demulceo</i> , <i>to assuage</i>	XVII	
Diaphoretica	-	— <i>διαφερω</i> , <i>to pass through the pores</i>	III	
Diuretica	-	— <i>διεξεω</i> , <i>to make water</i>	IV	
Emmenagoga	-	— <i>εν</i> , <i>in</i> ; <i>μην</i> , <i>the menses</i> ; and <i>αγω</i> , <i>to drive</i>	IX	
Epispastica	-	— <i>επι</i> and <i>σπασω</i> , <i>to drive</i>		V
Errhina	-	— <i>εν</i> , <i>in</i> ; and <i>εις</i> , <i>the nose</i>	VII	
Expectorantia	-	— <i>ex</i> , <i>out</i> ; and <i>pectus</i> , <i>the breast</i>	VI	
Lithontriptica	-	— <i>λιθος</i> , <i>a stone</i> ; and <i>θρυπτω</i> , <i>to break</i>	XI	
Sialagoga	-	— <i>σιαλον</i> , <i>saliva</i> ; and <i>αγω</i> , <i>to force</i>	VIII	
Stimulantia	-	— <i>stimulo</i> , <i>to stimulate</i>	XVIII	

THE

THE MEDICINES.

A.				Clafs.	Or.
Æther vitriolicus	-	{ Vitriolic Æther - - }	-	XIX	I
Abſinthium	- -	{ Wormwood - - }	-	XIV	I
Acetōſa	- - -	{ Sorrel - - - }	-	IV	II
Acetum	- - -	{ Vinegar - - - }	-	IV	II
Acidum vitriolicum	-	{ Vitriolic Acid - - }	-	XV	III
		{ V. F. 71. - - }	-	XVI	II
Alœe focotōrina	-	{ Socotrine Aloes - - }	-	II	I
		{ V. F. 10, 11, 12, 13, 14, 15. 58. - - }	-	IX	I
Alūmen uſtum	-	{ Burnt Allum - - }	-	XVI	I
		{ V. F. 74, 75. - - }	-		
Alkēhol	- -	{ V. F. 10. - - }	-	XIV	III
			-	XV	II
Alkalīna	- -	{ Alkali - - - }	-	XII	II
			-	XIII	II
Alkali volatile	-	{ Volatile Alkali - - }	-	XVIII	II
			-	XIX	I
Alliūm	- -	{ Garlic - - - }	-	VI	I
Althæa	- -	{ Marshmallow - - }	-	XVII	I
		{ V. F. 90. - - }	-		
Amygdāla dulcis	-	{ Sweet Almond - - }	-		
		{ V. F. 85. - - }	-		
Ammoniacum gummi-refina	-	{ Gum-refin of Ammoniacum. - - }	-		
		{ V. F. 49. - - }	-		
Ammonia	- -	{ V. F. 45. - - }	-	XII	II
Ammoniacum	-	{ Gum Ammoniacum - - }	-	VI	I
		{ V. F. 41. - - }	-		
Angelica	- -	{ - - - }	-	VIII	I

			Class.	Or.
Antimonium tartari-	{ Tartarised Antimony - }		I	I
satum - - -		Olim Tartar Emetic	II	II
		V. F. 1. 2. 8. 22. -	IV	I
Apium - - -	{ Parsley - - - }		IV	I
Aqua - - -	{ Water - - - }		III	IV
— ammoniæ ace-	{ Water of Ammonia - }			
tatæ - - -		V. F. 34 73. - -		
		Cinnamon Water -		
— cinnamōmi -	{ V. F. 16. 20. 32. 35.			
		43. 46. 48. 70. 72.		
		80. 98. - - -		
— calcis - - -	{ Lime Water - - - }		X	IV
			XI	I
— foeniculi -	{ Fennel Water			
		V. F. 43.		
— kali puri -	{ Water of pure Kali - }		XI	I
— mephitica al.	{ - - - - }		XI	I
kalina - - -				
— nucis moschatæ	{ Nutmeg Water			
		V. F. 4. 68.		
— pulegii - -	{ Pennyroyal Water			
		V. F. 30. 52. 100.		
— rosarum - -	{ Rose Water			
		V. F. 34. 95.		
Aromatic powder -	{ V. Pulvis aromaticus. }			
Argentum nitratum	{ Nitrated Silver - }		XVI	II
Arnica - - -	{ Leopard's bane - }		III	I
Arsenicum - - -	{ Arsenic - - - }		XV	I
Asafœtida - - -	{ V. F. 93. 97. - - }		IX	III
			XIV	III
			XIX	I
Asarum - - -	{ Asarubacca - - }		I	I
			VIII	I

B.

Baccus juniperi -	{ Juniper Berry			
		V. F. 21. 30. 38.		
Balsamum Peruvia-	{ Balsam of Peru			
num - - -		V. F. 11.		
Bearsfoot - - -	{ V. Uva Ursæ. }			

			Class.	Or.
<i>Beet</i> - - -	<i>V. Beta.</i>			
<i>Berberis</i> - - -	<i>Barberry</i> - - -		IV	II'
<i>Beta</i> - - -	<i>Beet</i> - - -		VII	I
<i>Betonica</i> - - -	<i>Betony</i> - - -		VII	L
<i>Bitter apple</i> - - -	<i>V. Colocynthis.</i>			
<i>Broom tops</i> - - -	<i>V. Genistæ Cacumen.</i>			

C.

<i>Calomēlas</i> - - -	<i>Calomel</i> - - -		II	I
	<i>V. F. 8. 12. 28. 53. 59.</i>		III	II'
	66. - - -			
<i>Calor</i> - - -	<i>Warmth</i> - - -		XVIII	II
<i>Camphōra</i> - - -	<i>Camphor</i> - - -		III	III'
	<i>V. F. 30. 94. 97. -</i>		XIV	III
			XIX	I
<i>Camphorated mixture</i>	<i>V. Mixture Camphorata.</i>			
<i>Cantharides</i> - - -	<i>Spanish Fly</i> - - -		IV	I
			V	II
			IX	I
			XVIII	I
<i>Carica</i> - - -	<i>The Fig</i> - - -			
	<i>V. F. 90. - - -</i>		XVII	I
<i>Cardamōmum</i> - - -	<i>Cardamom Seed.</i>			
	<i>V. F. 22.</i>			
<i>Castoreūm</i> - - -			IX	III
<i>Cineres genistæ</i> - - -	<i>The Ashes of Broom.</i>			
	<i>V. F. 42.</i>			
<i>Cinchona</i> - - -	<i>V. Cortex Peruvianus.</i>			
<i>Cinnamōmum</i> - - -	<i>Cinnamon</i> - - -		XVIII	II
<i>Couhage</i> - - -	<i>V. Stizolobium.</i>			
<i>Coccinella</i> - - -	<i>Cochineal.</i>			
	<i>V. F. 22.</i>			
<i>Colchicum</i> - - -	<i>Meadow Saffron</i> - - -		IV	I
<i>Coltsfoot</i> - - -	<i>V. Tussilago.</i>			
<i>Conserva rosarum</i> - - -	<i>Conserve of Roses.</i>			
	<i>V. F. 24. 31. 67. 75.</i>			
	87. 91.			
<i>Coriandrum</i> - - -	<i>Coriander.</i>			
	<i>V. F. 22.</i>			

		Class.	Or.
Cornu cervi ustum	{ <i>Burnt Hartshorn.</i> V. F. 63.		
Cortex Peruvianus -	{ <i>Peruvian Bark</i> - V. F. 71. 75, 76, 77. 80. 82. 99.	XIV XV XIX	I II I
Cortex radicis me- zerici - -	{ <i>The Bark of the Me- zerion Root</i> - - V. F. 26. - -	V	I
Corporis exercitio -	<i>Bodily Exercise</i> -	IX	II
Corallina - -	{ <i>Coral.</i> V. F. 60. 63.		
Conserva corticis au- rantii - -	{ <i>Conserve of Orange peel.</i> V. F. 77.		
Confectio aromatica	{ <i>Aromatic Confection.</i> V. F. 70. 72. 80.		
Contrayerva - -	V. F. 23. - -	III	I
Colocynthis - -	{ <i>Bitter Apple</i> - - V. F. 15. - -	II	I
Cuprum - -	{ <i>Copper</i> - - -	XV XIX	I II
Cuprum vitriolatum	<i>Vitriolated Copper</i> -	XVI	I
Chamæmelum - -	{ <i>Chamomile</i> - -	I XIV	I I
Cremor tartari -	{ <i>Cream of Tartar.</i> V. F. 18.		
Creta præparata -	<i>Prepared Chalk</i> -	XIII	II
Crocus - -	{ <i>Saffron.</i> V. F. 10. 22.		

D.

<i>Dandelion</i> - -	V. <i>Taraxicum.</i>		
<i>Daucus sylvestris</i> -	<i>Wild Carrot</i> - -	IV	I
<i>Decoctum corticis</i> <i>Peruviani</i> - -	{ <i>Decoctum of Peruvian</i> <i>Bark.</i> V. F. 70.		
<i>Diæta lauta</i> - -	<i>A full Diet</i> - -	IX	II
<i>Digitālis</i> - -	{ <i>Foxglove</i> - -	I II	III VI
<i>Dragon's blood</i> -	V. <i>Sanguis Draconis.</i>		

					Classs.	Or.
E.						
Euphorbium	-				VII	I
Elatērium	-	-	Wild cucumber	-	II	I
Electricitas	-	-	Electricity	-	IX XVIII XIX	I II I
Electuarium e scordio	{	Electuary of Water- germander.				
		V. F. 20.				
Entūla	-	-	Elecampane	-	VI	I
		-	-	-		
Exercitium	-	-	Exercise	-	XIX	II
Extractum gentiānæ	{	Extract of Gentian.				
		V. F. 12, 13. 17. 25.				
Extractum jalapii	{	Extract of Jalap.				
		V. F. 15.				
Extractum ligni gua- iaci	{	Extract of Guaiacum				
		Wood.				
		V. F. 28.				
F.						
Ferrum	-	-	Iron	-	XIX	II
Ferri rubīgo	{	Rust of Iron		-	IX	II
		V. F. 77.		-	XV	I
— limatura	-	-	Filings of Iron	-	XV	I
Ferrum ammoniacale	{	Ammoniacal Iron		-	XV	I
		V. F. 56.		-		
— vitriolatum	{	Vitriolated Iron		-	X	I
		V. F. 13. 54. 57. 58.		-	XV	I
		78, -		-		
Filings of Iron	-	-	V. Limatura Ferri.	-		
Filix	-	-	Fern Root	-	X	I
Fox glove	-	-	V. Digitalis.	-		
Flores chamæmeli	{	Chamomile Flowers.				
		V. F. 65.				
— sulphuris	{	Flowers of Sulphur		-	II	III
		V. F. 18. 50.		-		
French brandy	-	-	V. Spiritus Vini Gallici.	-		
Fructus et vegetabilia	-	-	Fruits and vegetables	-	XIII	II

			Class.	Or.
Gallæ	-	Galls	XV	II
Gambogia	-	Gamboge	II	I
	-	V. F. 66.	X	V
Garlic	-	V. Allium vel Theriaca		
Genistæ cacumen	-	Broom Tops	IV	I
Ginger	-	V. Zingiber.		
Gummi Arabicum		Gum Arabic.		
		V. F. 85. 94, 95.		
Guaiacum gummi-		Gum-resin of Guaiacum	II	II
refina	-	V. F. 11. 16. 24, 25.	III	I
	-	27. - - -		
Glycyrrhiza	-	Liquorice		
	-	V. F. 26. 49, 50. 83.	VI	II
	-	90. - - -		

H.

Hellebörus	-	Hellebore	VII	I
	-		X	I
Henbane	-	V. Hyoscyamus.		
Honey	-	V. Mel.		
Horehound	-	V. Marrubium.		
Horse-radish	-	V. Raphanus Rusticanus		
Hyoscyamus	-	Henbane	II	VI
Hydrargyrus vitrio-		Vitriolated Quicksilver	I	I
latus	-			
_____ cum		Quicksilver with Sulphur	X	I
fulphure	-	V. F. 27. 60.	IX	I
_____	-	Mercury	XIII	II

I.

Indian pink	-	V. Spigelia.		
Infusio corticis Peru-		Infusion of Peruvian		
viani	-	Bark.		
	-	V. F. 40.		
Ipecacuanha	-	V. E. 2. 8.	I	I
	-		III	III

		Class.	Or.
Jalapium - -	{ <i>Jalap</i> - - - }	II	I
<i>Japan earth</i> - -	{ <i>V. F.</i> 9. 19, 20. 66. }		
<i>Juniperi cacumen</i> -	<i>V. Terra Japonica.</i> <i>Juniper Tops</i> - -	IV	I
K.			
Kali præparatum -	{ <i>Prepared Kali</i> - - }	IV	II
— tartarifatum -	{ <i>V. F.</i> 35. - - }		
— acetatum -	<i>V. F.</i> 41, 42. 72. <i>Acetated Kali</i> - -	IV	II
— vitriolatum -	<i>Vitriolated Kali</i> - -	II	III
L.			
Lac ammoniaci -	{ <i>Milk of Ammoniacum</i> - }		
<i>Leopard's bane</i> -	{ <i>V. F.</i> 51. - - }		
<i>Lemon juice</i> -	<i>V. Arnica.</i>		
<i>Licorice</i> -	<i>V. Succus Limonis.</i>		
	<i>V. Glycyrrhiza.</i>		
Limatūra - -	<i>Filings of Iron</i> - - }	IX	II
		X	IV
<i>Lime water</i> - -	<i>V. Aqua Calcis.</i>		
<i>Lini semen</i> - -	<i>Linseed</i> - - -	XVII	I
Liquor volatilis cornu	{ <i>The Volatile Liquor of</i> }		
cervi - -	{ <i>Hartshorn</i> - - }	III	III
	{ <i>V. F.</i> 88. }		
M.			
<i>Madder</i> - -	<i>V. Rubia.</i>		
<i>Magnesia</i> - -	- - - -	XII	I
<i>Manna</i> - -	- - - -	II	V
<i>Marrubium</i> - -	<i>Harehound</i> - -	VI	I
<i>Meadow saffron</i> -	<i>V. Colchicum.</i>		
<i>Mel</i> - -	{ <i>Honey.</i> }		
	{ <i>V. F.</i> 18. 50. }		
<i>Mercurial ointment</i>	{ <i>V. Unguentum Hydrar-</i>		
	{ <i>gyri</i> - - - }		
<i>Mercury</i> - -	<i>V. Hydrargyus.</i>		

		Clafs.	Or.
Millēpedæ præparatæ	{ Prepared Woodlice. V. F. 37. 42.		
Miftura camphorāta	{ Camphorated Mixture. V. F. 29. 72.		
Mofchus - - -	{ Musk - - - - - } V. F. 31, 32. - - -	III XIX	III I
Mucilago gummi arabici - - -	{ V. F. 12. 39.		
Mustard - - -	{ V. Sinapi.		
Myrrha - - -	{ Myrrh - - - - - } V. F. 10. 71. 78.	IX	III

N.

Natron vitriolatum	Vitriolated Natron - - -	II I	III III
Nicotiāna - - -	Tobacco - - - - -	II VII VIII	VI I I
----- fumus -	Smoke of Tobacco - - -	VI	I
Nitrum - - -	Nitre - - - - -	IV	II
Nux mofchatæ -	Nutmeg - - - - -	XVIII	II

O.

Oak - - - - -	V. Quercus.		
Oleum amygdalarum	{ Oil of Almonds - - - } V. F. 85, 86, 87, 88.	XVII	I
----- anifi - -	{ Oil of Anife. V. F. 93.		
Olea effentialia -	Effential Oils - - -	XIX	I
Oleum juniperi -	{ Oil of Juniper. V. F. 41.		
----- olivarum -	Olive Oil - - - - -	X	I
----- ricini -	Castor Oil - - - - -	II X	V III
----- terebinthina	Oil of Turpentine - - -	XIV	III
Opium - - - - -	- - - - -	III XIX	III I

<i>Oxymel scillæ</i>	-	<i>Oxymel of squills</i>	-		
		<i>V. F. 3, 4, 5. 19. 43.</i>	-		
		<i>48.</i>	-		
P.					
<i>Parsley</i>	-	<i>V. Apium.</i>			
<i>Pediluvium</i>	-	<i>Bathing of the Feet</i>	-	IX	III
<i>Piper</i>	-	<i>Pepper</i>	-	VIII	I
<i>Pilula ex albe cum myrrha</i>	-	<i>Æsthetic Pills with Myrrh</i>	-		
		<i>V. F. 53, 54.</i>	-		
<i>— ex hydrargyri</i>	-	<i>Mercurial Pills</i>	-	VIII	II
<i>— gummi</i>	-	<i>Gum Pills</i>	-		
		<i>V. F. 14. 53.</i>	-		
<i>Pulvis tragacanthæ compositus</i>	-	<i>Compound Powder of Tragacanth</i>	-		
		<i>V. F. 41.</i>	-		
<i>— aromaticus</i>	-	<i>Aromatic Powder.</i>			
		<i>V. F. 11. 56. 99.</i>	-		
<i>— corticis Peruviani</i>	-	<i>Peruvian Bark in Powder.</i>			
		<i>V. F. 69.</i>	-		
<i>Prepared oyster shells.</i>		<i>V. Testæ ostreorum. pp.</i>			
Q.					
<i>Quercus</i>	-	<i>Oak Bark</i>	-	XV	II
R.					
<i>Raisins</i>	-	<i>V. Uvæ papæ.</i>			
<i>Raphanus Rusticanus</i>	-	<i>Horse-radish</i>	-	I	II
		<i>V. F. 41. 92.</i>	-	V	I
<i>Rubia</i>	-	<i>Madder</i>	-	XVIII	I
			-	IX	I
<i>Rheum vel Rhubarbarum</i>	-	<i>Rhubarb</i>	-	IV	V
		<i>V. F. 21, 22. 41. 59.</i>	-	II	IV
		<i>63. 65. 79.</i>	-	IX	V
<i>Rheubarb</i>	-	<i>V. Rheum.</i>			

S.				Clafs.	Or.
Sabīria	-	-	{ Savin - - - }	IX	I
			{ V. F. 60. - - }	X	IV
Saccharum album			{ Refined Sugar.		
			{ V. F. 21. 25. 34. 57.		
			{ 84, 85.		
Sal cornu cervi	-		{ Salt of Hartshorn.		
			{ V. F. 24. 89.		
Sal Prunellæ	-		Purified Nitre - -	VIII	I
Sales acidi et nutri			Acid and Neutral Salts	XIV	II
Santonicum	-		{ Wormseed - - }	X	IV
			{ V. F. 60. 63. - - }		
Sanguis draconis	-		{ Dragon's Blood - - }	XV	II
			{ V. F. 74. - - }		
Sapo	-	-	{ Soap - - - }	X	V
			{ V. F. 14. 37. 44. 64. }	XI	I
				XII	I
				XIII	II
Semen dauci sylvestris	-		{ Seed of the Wild Carrot.		
			{ V. F. 36, 37.		
Senna	-	-	V. F. 21, 22. - -	II	I
Semen fœniculi	-		{ Fennel Seed.		
			{ V. F. 21.		
Silver	-	-	V. Argentum.		
Simarouba	-	-	- - - -	XV	II
Sināpi	-	-	{ Mustard - - - }	I	II
			{ V. F. 91, 92. - - }	V	I
				XVIII	I
Sorrel	-	-	V. Acetosa.		
Succus limonis	-		{ Lemon juice.		
			{ V. F. 35. 89.		
— raphani rusti-			{ The Juice of Horse-		
cani	-	-	{ radish		
			{ V. F. 5.		
Sulphur antimonii			{ Precipitated Sulphur of		
præcipitatum	-		{ Antimony.		
			{ V. F. 28.		
Scammonium	-		{ Scammony - - - }	II	I
			{ V. F. 15, 16. - - }	X	V

		Clafs.	Or.
Scilla exficcata	- { Dried Squills - - - }	I IV VI VIII	I I I I
— recens	- { Fresh Squills. V. F. 4. }		
Scobī guaiaci	- { Rasps of Guaiacum. V. F. 21. }		
Serum lactis	- Whey - - - }	IV XIII	III I
Spermaceti	- - V. 51. 87. 89. - }	VI XVII	II I
Spiritus vinosus te- nuior	- { Proof Spirit of Wine. V. F. 71. }		
Spiritus vini	- Spirit of Wine - - -	XIX	I
Squills	- - V. Scilla.		
Spigelia	- - { Indian Pink. V. F. 6. }		
Spiritus nucis mos- chatæ	- - { Spirit of Nutmeg V. F. 30. }		
— vini gallici	- { French Brandy. V. F. 21, 22. }		
— cinnamōmi	- { Spirit of Cinnamon. V. F. 80. }		
Stannum	- - { Tin - - - }	X	I
Stizolobium	- - { V. F. 61. - - - }	X	II
Syrupus simplex	- { Simple Syrup. V. F. 15. }		
— althææ	- { Syrup of Marshmallows. V. F. 68. }		
— corticis au- rantii	- { Syrup of Orange-peel. V. F. 11. 30, 40. 58. 60. 69. 77. 80. 83. 99. }		
— caryophilli rubri	- { Syrup of Clove July- flower. V. F. 46. 100. }		
— croci	- { Syrup of Crocus. V. F. 23. 52. 70. 72. 98. }		

			Class.	Or.
Syrūpus papaveris		{ Syrup of Wild Poppies.		
erratici - -	-	{ V. F. 1.		
— papaveris		{ Syrup of White Poppies.		
albi - -	-	{ V. F. 28. 94. 95. 97.		
— Rosæ	-	{ Syrup of Roses.		
		{ V. F. 13. 16. 67. 74,		
		{ 75.		
— tolutānus	-	{ Syrup of Tolu.		
		{ V. F. 72. 86. 88. 89.		
— violarum	-	{ Syrup of Violets.		
		{ V. F. 6. 7. 86. 87.		
— zinziberes		{ Syrup of Ginger.		
		{ V. F. 76. 91.		

T.

Tanacētum - -	-	Tansy - - -	X	IV
Taraxācum - -	-	Dandelion - -	IV	I
Terra japonica	-	{ Japan Earth.		
		{ V. F. 76.		
Terebinthīna venēta		{ Venice Turpentine.		
		{ V. F. 3. 79.		
Terebinthīna	-	Turpentine - -	IV	I.
Testæ ostreorum		{ Prepared Oyster-shell -		
præparatæ -	-	{	XII	II
Tin - - -	-	V. Stannum.		
Tinctura asæfætidæ		{ Tincture of Asafætida.		
		{ V. F. 72.		
— alce compo-		{ Compound Tincture of		
sita - - -	-	{ Aloe.		
		{ V. F. 55.		
— opii	-	{ Tincture of Opium.		
		{ V. F. 33. 34. 97.		
— cantharides		{ Tincture of Cantharides.		
		{ V. F. 40. 47. 52.		
— corticis Pe-		{ Compound Tincture of		
ruviani composita		{ Peruvian Bark.		
		{ V. F. 69. 81. 82.		
— ferri muriati		{ Tincture of muriated Iron.		
		{ V. F. 55.		

Tinctura helebberi nigri	-	-	{ Tincture of Black Hel-		
			lebores.		
— scillæ	-	-	{ Tincture of Squills.		
			V. F. 46.		
— serpentariæ	-	-	{ Tincture of Serpentaria.		
			V. F. 75.		
— valerianæ	-	-	{ Ammoniated Tincture of		
ammoniata	-	-	Valerian.		
			V. F. 100.		
Tormentilla	-	-	{ Tormentil.		
			V. F. 83.		
Turpentine	-	-	V. Terebinthina.		
Tussilago	-	-	Coltsfoot - - -	VI	II
Theriaca	-	-	{ Garlic.		
			V. F. 61.		

V.

Valeriana	-	-	{ Valerian - - - }	XIX	I
			V. F. 19. - - -		
Vapores	-	-	Steam - - -	VI	II
Vesicatoria	-	-	Irritating plasters -	VI	I
Vinegar	-	-	V. Acetum.		
Vinum	-	-	Wine. - - -	XVIII	II
— album	-	-	{ White Wine.		
			V. F. 38. 42.		
— antimonii	-	-	{ Antimonial Wine - }	III	II
			V. F. 3. 6. 7. 29. 33.		
— Ipecacuanhæ	-	-	{ Ipecacuanha Wine.		
			V. F. 6. 7. 34.		

U.

Unguentum hydrargyri mitius	-	-	{ The Milder Mercurial	VIII	II
			Ointment - - -		
Unguentum hydrargyri fortius	-	-	{ The Stronger Mercurial	VIII	II
			Ointment - - -		
Uvæ passæ	-	-	{ Raisins.		
			V. F. 22. 90.		
— urfi	-	-	Bear's-foot - - -	XI	II

(130)

W.

Clafs. Or.

<i>Wormwood</i>	-	-	<i>V. Absintium.</i>
<i>Wormseed</i>	-	-	<i>V. Santonicum.</i>
<i>Wine</i>	-	-	<i>V. Vinum.</i>
<i>Whey</i>	-	-	<i>V. Serum Lactis.</i>

FINIS.

ERRATA.

Page 9 and 89, for *Lithontripectica*, read *Lithonthriptica*.



MR. COX begs leave to inform the Purchasers of the *Physician's Vade Mecum*, that *the sequel*, part of which is in the press, and will be ready for them next October. The Author having been attacked by a fever last September *, was prevented from completing his views, as mentioned in the Preface. Mr. Townsend having, however, recollected and noted almost every circumstance attendant on this fever, the learned reader will most probably find, in the GUIDE TO HEALTH†, some *new observations* on the subject of Typhus and Hysteria, and the effects of *Oxygene Gas* and a *Cold Atmosphere* on the animal œconomy.

* See a Letter from *Dr. Thornton* in *Dr. Beddoes'* last publication.

† The title to *Mr. Townsend's* next publication.



Dues from

Doses of the following
Druggs for an Horse

Tartarized Antimony ʒij

Other _____ ʒj

Opium _____ ʒij

Structure of Opium ʒss

Alow ʒij ad ʒx

Dr. Godfrey's Cordial

Theracca vel Molass. ℥ij

Aqua Servent ʒix

Spt. Cini Junci ℥ij

Gum Oliv ʒij

Potash Subcarb ʒij Mix

for 5 Dozen Bottles.

1000 Ginger Beer

Rhinger 10 lb Zij

Cream Tartar 40 lb Zij

Seymour No 3

Sugar (lumps) 10 lb Zij

Water 4 Gallons

Mixt 9. 3rd 3x

Black Ink

Galls bruised 50 lb

Rain water 100 lb

Indigo Piece Alum 3 lb

Leekher 10 lb Gum

Anabie 3 lb

Metal to fill disease
Teeth with.

Bismuth 3ij

Lead — 3v

Sin — 3ij

Mercury 3ij fuse

them together

Collyria Lincii et Plumbe

R. Lincii Sulph. 3i ad 3p

Liquor Plumbe 3i ad 3ij

Sol. Lincii 3i ad 3ij

Aqua Mullier 3i

Collyria et adde

Ex. Hyosciam 3ij

Ex. Ophthalmica

6

2/6

34

31

24

Libris Iosue Camsham

Hic domum ponis

Librum perdere nolo

Handwritten text at the top of the page, possibly a title or header, which is mostly illegible due to fading and ink bleed-through. It appears to contain several words or characters.